

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version 7.14      Revision Date: 06.08.2021      SDS Number: 263802-00008      Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : ACTIVE GLASS CLEANER - 500 ML  
Product code : 089025  
Unique Formula Identifier (UFI) : KM31-40X2-N00F-E298

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Cleaning agent, Detergent  
Professional use product

#### 1.3 Details of the supplier of the safety data sheet

Company : Adolf Wuerth GmbH & Co. KG  
Reinhold-Würth-Str. 12-17  
74653 Künzelsau  
Telephone : +49 794015 0  
Telefax : +49 794015 10 00  
E-mail address of person responsible for the SDS : prodsafe@wuerth.com

#### 1.4 Emergency telephone number

+49 (0)6132 – 84463

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1      H222: Extremely flammable aerosol.  
H229: Pressurised container: May burst if heated.  
Eye irritation, Category 2      H319: Causes serious eye irritation.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :  

Signal word : Danger

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version 7.14      Revision Date: 06.08.2021      SDS Number: 263802-00008      Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

Hazard statements : H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.  
H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P280 Wear eye protection/ face protection.

**Response:**

P337 + P313 If eye irritation persists: Get medical advice/ attention.

**Storage:**

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Additional Labelling**

EUH208 Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Propan-2-ol	67-63-0 200-661-7 603-117-00-0 01-2119457558-25	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	>= 10 - < 20
(R)-p-mentha-1,8-diene	5989-27-5 227-813-5	Flam. Liq. 3; H226 Skin Irrit. 2; H315	>= 0,1 - < 0,25

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version  
7.14

Revision Date:  
06.08.2021

SDS Number:  
263802-00008

Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

	601-029-00-7	Skin Sens. 1B; H317 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 <hr/> M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
Morpholine	110-91-8 203-815-1 613-028-00-9	Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 3; H311 Skin Corr. 1A; H314 Eye Dam. 1; H318 <hr/> Acute toxicity estimate  Acute oral toxicity: 1.900 mg/kg Acute inhalation toxicity (vapour): 11 mg/l  Acute dermal toxicity: 500 mg/kg	>= 0,1 - < 1

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Get medical attention if symptoms occur.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version	Revision Date:	SDS Number:	Date of last issue: 04.03.2021
7.14	06.08.2021	263802-00008	Date of first issue: 03.05.2012

---

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.

May produce an allergic reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.  
If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.

Hazardous combustion products : Carbon oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version 7.14      Revision Date: 06.08.2021      SDS Number: 263802-00008      Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

#### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use with local exhaust ventilation.

Advice on safe handling : Avoid breathing spray.  
Do not swallow.  
Do not get in eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version 7.14      Revision Date: 06.08.2021      SDS Number: 263802-00008      Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.  
Do not spray on an open flame or other ignition source.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store locked up. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Do not pierce or burn, even after use. Keep cool. Protect from sunlight.

Advice on common storage : Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures, which in contact with water, emit flammable gases  
Explosives

Storage class (TRGS 510) : 2B, Aerosol cans and lighters

Recommended storage temperature : > 5 - < 40 °C

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propan-2-ol	67-63-0	AGW	200 ppm 500 mg/m <sup>3</sup>	DE TRGS 900
Peak-limit: excursion factor (category): 2;(II)				

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version  
7.14

Revision Date:  
06.08.2021

SDS Number:  
263802-00008

Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
Propane	74-98-6	AGW	1.000 ppm 1.800 mg/m <sup>3</sup>	DE TRGS 900
	Peak-limit: excursion factor (category): 4;(II)			
Butane	106-97-8	AGW	1.000 ppm 2.400 mg/m <sup>3</sup>	DE TRGS 900
	Peak-limit: excursion factor (category): 4;(II)			
Isobutane	75-28-5	AGW	1.000 ppm 2.400 mg/m <sup>3</sup>	DE TRGS 900
	Peak-limit: excursion factor (category): 4;(II)			
(R)-p-mentha-1,8-diene	5989-27-5	AGW	5 ppm 28 mg/m <sup>3</sup>	DE TRGS 900
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child, Substance sensitizing through the skin			
Morpholine	110-91-8	TWA	10 ppm 36 mg/m <sup>3</sup>	2006/15/EC
	Further information: Indicative			
		STEL	20 ppm 72 mg/m <sup>3</sup>	2006/15/EC
	Further information: Indicative			
		AGW	10 ppm 36 mg/m <sup>3</sup>	DE TRGS 900
	Peak-limit: excursion factor (category): 2;(I)			
	Further information: Skin absorption			

### Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
Propan-2-ol	67-63-0	Acetone: 25 mg/l (Blood)	Immediately after exposure or after working hours	TRGS 903
		Acetone: 25 mg/l (Urine)	Immediately after exposure or after working hours	TRGS 903

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Propan-2-ol	Workers	Inhalation	Long-term systemic effects	500 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	888 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	89 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	319 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	26 mg/kg bw/day
(R)-p-mentha-1,8-diene	Workers	Inhalation	Long-term systemic effects	66,7 mg/m <sup>3</sup>

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

**ACTIVE GLASS CLEANER - 500 ML**Version  
7.14Revision Date:  
06.08.2021SDS Number:  
263802-00008Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

	Workers	Skin contact	Acute local effects	9,5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	16,6 mg/m <sup>3</sup>
	Consumers	Skin contact	Acute local effects	4,8 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	4,8 mg/kg bw/day
Morpholine	Workers	Inhalation	Long-term systemic effects	91 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	36 mg/m <sup>3</sup>
	Workers	Inhalation	Acute local effects	72 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	1,04 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	45 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	3,2 mg/m <sup>3</sup>
	Consumers	Inhalation	Acute local effects	18 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	0,52 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	
	Consumers	Skin contact	Acute local effects	
	Consumers	Ingestion	Long-term systemic effects	6,3 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	38 mg/kg bw/day

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:**

Substance name	Environmental Compartment	Value
Propan-2-ol	Fresh water	140,9 mg/l
	Marine water	140,9 mg/l
	Intermittent use/release	140,9 mg/l
	Sewage treatment plant	2251 mg/l
	Fresh water sediment	552 mg/kg dry weight (d.w.)
	Marine sediment	552 mg/kg dry weight (d.w.)
	Soil	28 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	160 mg/kg food
	(R)-p-mentha-1,8-diene	Fresh water
Marine water		0,0014 mg/l
Sewage treatment plant		1,8 mg/l
Fresh water sediment		3,85 mg/kg dry weight (d.w.)
Marine sediment		0,385 mg/kg dry weight (d.w.)
Soil		0,763 mg/kg dry weight (d.w.)
Oral (Secondary Poisoning)		133 mg/kg food



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version 7.14      Revision Date: 06.08.2021      SDS Number: 263802-00008      Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

Morpholine	Fresh water	0,1 mg/l
	Marine water	0,01 mg/l
	Intermittent use/release	0,28 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	1,49 mg/kg
	Marine sediment	0,149 mg/kg
	Soil	0,239 mg/kg

### 8.2 Exposure controls

#### Engineering measures

Minimize workplace exposure concentrations.  
Use with local exhaust ventilation.

#### Personal protective equipment

Eye protection : Wear the following personal protective equipment:  
Safety goggles  
Equipment should conform to DIN EN 166

Hand protection

Remarks : not required Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Wear the following personal protective equipment:  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
Equipment should conform to DIN EN 137

Filter type : Self-contained breathing apparatus

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : Aerosol containing a dissolved gas

Propellant : Propane, Butane, Isobutane

Colour : colourless

Odour : fruity

Odour Threshold : No data available

Melting point/freezing point : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version 7.14      Revision Date: 06.08.2021      SDS Number: 263802-00008      Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

---

Initial boiling point and boiling range : Not applicable

Flammability (solid, gas) : Extremely flammable aerosol.

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : 34 °C  
Flash point is only valid for liquid portion in the aerosol can.

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 9,5  
Concentration: 100 %

Viscosity  
Viscosity, kinematic : Not applicable

Solubility(ies)  
Water solubility : completely soluble

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : Not applicable

Density : 0,89 g/cm<sup>3</sup>

Relative vapour density : Not applicable

Particle characteristics  
Particle size : Not applicable

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : Not applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version	Revision Date:	SDS Number:	Date of last issue: 04.03.2021
7.14	06.08.2021	263802-00008	Date of first issue: 03.05.2012

---

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Extremely flammable aerosol.  
Vapours may form explosive mixture with air.  
If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.  
Can react with strong oxidizing agents.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents  
Acids

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

#### Components:

##### Propan-2-ol:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l  
Exposure time: 6 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

##### (R)-p-mentha-1,8-diene:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 423  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version 7.14      Revision Date: 06.08.2021      SDS Number: 263802-00008      Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

---

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Remarks: Based on data from similar materials

### **Morpholine:**

Acute oral toxicity : LD50 (Rat): 1.900 mg/kg  
  
Acute toxicity estimate: 1.900 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Expert judgement  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute dermal toxicity : LD50 (Rabbit, male): 500 mg/kg  
  
Acute toxicity estimate: 500 mg/kg  
Method: Calculation method

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Propan-2-ol:**

Species : Rabbit  
Result : No skin irritation

#### **(R)-p-mentha-1,8-diene:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

#### **Morpholine:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 3 minutes or less of exposure

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### **Components:**

#### **Propan-2-ol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

#### **(R)-p-mentha-1,8-diene:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version 7.14      Revision Date: 06.08.2021      SDS Number: 263802-00008      Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

---

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

### Morpholine:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### Propan-2-ol:

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

#### (R)-p-mentha-1,8-diene:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

### Morpholine:

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version 7.14      Revision Date: 06.08.2021      SDS Number: 263802-00008      Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

---

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### **(R)-p-mentha-1,8-diene:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: In vivo mammalian alkaline comet assay  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **Morpholine:**

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: Rat  
Result: negative  
Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Hamster  
Application Route: Ingestion  
Result: negative  
Remarks: In vivo tests did not show mutagenic effects

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Propan-2-ol:**

Species : Rat  
Application Route : inhalation (vapour)  
Exposure time : 104 weeks  
Method : OECD Test Guideline 451  
Result : negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version 7.14      Revision Date: 06.08.2021      SDS Number: 263802-00008      Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

---

### **(R)-p-mentha-1,8-diene:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative

### **Morpholine:**

Species : Rat  
Application Route : Inhalation  
Exposure time : 52 weeks  
Result : negative

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **Propan-2-ol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **(R)-p-mentha-1,8-diene:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Morpholine:**

Effects on foetal development : Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

### **STOT - single exposure**

Not classified based on available information.

### **Components:**

#### **Propan-2-ol:**

Assessment : May cause drowsiness or dizziness.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version 7.14      Revision Date: 06.08.2021      SDS Number: 263802-00008      Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

---

### STOT - repeated exposure

Not classified based on available information.

#### Components:

##### **(R)-p-mentha-1,8-diene:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

##### **Morpholine:**

Exposure routes : Inhalation  
Assessment : No significant health effects observed in animals at concentrations of 250 ppmV/6h/d or less.

### Repeated dose toxicity

#### Components:

##### **Propan-2-ol:**

Species : Rat  
NOAEL : 12,5 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 104 Weeks

##### **(R)-p-mentha-1,8-diene:**

Species : Rat, male  
NOAEL : 5 mg/kg  
LOAEL : 30 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks

##### **Morpholine:**

Species : Rat  
NOAEL : 50 mg/kg  
Application Route : inhalation (vapour)  
Exposure time : 104 Weeks

### Aspiration toxicity

Not classified based on available information.

#### Components:

##### **(R)-p-mentha-1,8-diene:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version 7.14      Revision Date: 06.08.2021      SDS Number: 263802-00008      Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

##### **Propan-2-ol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9.640 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 24 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1.050 mg/l  
Exposure time: 16 h

##### **(R)-p-mentha-1,8-diene:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 702 µg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 307 µg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,32 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): 0,174 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 : > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 153 µg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version 7.14      Revision Date: 06.08.2021      SDS Number: 263802-00008      Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

---

M-Factor (Chronic aquatic toxicity) : 1

### **Morpholine:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 380 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 45 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 28 mg/l  
Exposure time: 96 h

Toxicity to microorganisms : EC50 : > 1.000 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 5 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

## 12.2 Persistence and degradability

### Components:

#### **Propan-2-ol:**

Biodegradability : Result: rapidly degradable

BOD/COD : BOD: 1.19 (BOD5)  
COD: 2.23  
BOD/COD: 53 %

#### **(R)-p-mentha-1,8-diene:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 71,4 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

#### **Morpholine:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 93 %  
Exposure time: 25 d  
Method: OECD Test Guideline 301E

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version	Revision Date:	SDS Number:	Date of last issue: 04.03.2021
7.14	06.08.2021	263802-00008	Date of first issue: 03.05.2012

---

### 12.3 Bioaccumulative potential

#### Components:

##### **Propan-2-ol:**

Partition coefficient: n-octanol/water : log Pow: 0,05

##### **(R)-p-mentha-1,8-diene:**

Partition coefficient: n-octanol/water : log Pow: 4,38

##### **Morpholine:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): < 2,8

Partition coefficient: n-octanol/water : log Pow: -2,55

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version	Revision Date:	SDS Number:	Date of last issue: 04.03.2021
7.14	06.08.2021	263802-00008	Date of first issue: 03.05.2012

---

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.  
Please ensure aerosol cans are sprayed completely empty (including propellant)

Waste Code : The following Waste Codes are only suggestions:

used product  
16 05 04, gases in pressure containers (including halons)  
containing hazardous substances

unused product  
16 05 04, gases in pressure containers (including halons)  
containing hazardous substances

uncleaned packagings  
15 01 10, packaging containing residues of or contaminated  
by hazardous substances

Acc. Packaging Act properly emptied packaging:  
Properly emptied, non-contaminated packaging of non-hazardous products can be supplied to a system for the collection of sales packaging.

---

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADN	: UN 1950
ADR	: UN 1950
RID	: UN 1950
IMDG	: UN 1950
IATA	: UN 1950

#### 14.2 UN proper shipping name

ADN	: AEROSOLS
ADR	: AEROSOLS
RID	: AEROSOLS
IMDG	: AEROSOLS
IATA	: Aerosols, flammable

#### 14.3 Transport hazard class(es)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version 7.14      Revision Date: 06.08.2021      SDS Number: 263802-00008      Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

---

**ADN** : 2  
**ADR** : 2  
**RID** : 2  
**IMDG** : 2.1  
**IATA** : 2.1

### 14.4 Packing group

**ADN**  
Packing group : Not assigned by regulation  
Classification Code : 5F  
Labels : 2.1

**ADR**  
Packing group : Not assigned by regulation  
Classification Code : 5F  
Labels : 2.1  
Tunnel restriction code : (D)

**RID**  
Packing group : Not assigned by regulation  
Classification Code : 5F  
Hazard Identification Number : 23  
Labels : 2.1

**IMDG**  
Packing group : Not assigned by regulation  
Labels : 2.1  
EmS Code : F-D, S-U

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 203  
Packing instruction (LQ) : Y203  
Packing group : Not assigned by regulation  
Labels : Flammable Gas

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 203  
Packing instruction (LQ) : Y203  
Packing group : Not assigned by regulation  
Labels : Flammable Gas

### 14.5 Environmental hazards

**ADN**  
Environmentally hazardous : no

**ADR**  
Environmentally hazardous : no

**RID**  
Environmentally hazardous : no

**IMDG**  
Marine pollutant : no

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version 7.14      Revision Date: 06.08.2021      SDS Number: 263802-00008      Date of last issue: 04.03.2021  
Date of first issue: 03.05.2012

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
P3a	FLAMMABLE AEROSOLS	150 t	500 t

18	Liquefied extremely flammable gases (including LPG) and natural gas	50 t	200 t
----	---	------	-------

Water hazard class (Germany) : WGK 1 slightly hazardous to water  
Classification according to AwSV, Annex 1 (5.2)

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 23,80 %, 212 g/l  
Remarks: VOC content excluding water

Regulation (EC) No. 648/2004, as amended : 5 % or over but less than 15 %: Aliphatic hydrocarbons  
Other constituents: Perfumes  
Preservation agents: MORPHOLINE

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version	Revision Date:	SDS Number:	Date of last issue: 04.03.2021
7.14	06.08.2021	263802-00008	Date of first issue: 03.05.2012

---

Allergens:  
LIMONENE  
BENZYL ALCOHOL

### Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

---

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H225 : Highly flammable liquid and vapour.  
H226 : Flammable liquid and vapour.  
H302 : Harmful if swallowed.  
H304 : May be fatal if swallowed and enters airways.  
H311 : Toxic in contact with skin.  
H314 : Causes severe skin burns and eye damage.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H332 : Harmful if inhaled.  
H336 : May cause drowsiness or dizziness.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Asp. Tox. : Aspiration hazard  
Eye Dam. : Serious eye damage  
Eye Irrit. : Eye irritation  
Flam. Liq. : Flammable liquids  
Skin Corr. : Skin corrosion  
Skin Irrit. : Skin irritation  
Skin Sens. : Skin sensitisation  
STOT SE : Specific target organ toxicity - single exposure  
2006/15/EC : Europe. Indicative occupational exposure limit values  
DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.  
TRGS 903 : TRGS 903 - Biological limit values  
2006/15/EC / TWA : Limit Value - eight hours

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version	Revision Date:	SDS Number:	Date of last issue: 04.03.2021
7.14	06.08.2021	263802-00008	Date of first issue: 03.05.2012

2006/15/EC / STEL : Short term exposure limit  
DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Aerosol 1 H222, H229  
Eye Irrit. 2 H319

### Classification procedure:

Based on product data or assessment  
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## ACTIVE GLASS CLEANER - 500 ML

Version	Revision Date:	SDS Number:	Date of last issue: 04.03.2021
7.14	06.08.2021	263802-00008	Date of first issue: 03.05.2012

---

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN