

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version 8.2      Revision Date: 21.08.2021      SDS Number: 250633-00009      Date of last issue: 16.11.2020  
Date of first issue: 19.02.2015

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : BMF CLEANER - 5 L  
Product code : 08931182  
Unique Formula Identifier (UFI) : 8TV3-90WN-5009-JTC1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent, Detergent  
Professional use product

#### 1.3 Details of the supplier of the safety data sheet

Company : Adolf Wuerth GmbH & Co. KG  
Reinhold-Würth-Str. 12-17  
74653 Künzelsau  
Telephone : +49 794015 0  
Telefax : +49 794015 10 00  
E-mail address of person responsible for the SDS : prodsafe@wuerth.com

#### 1.4 Emergency telephone number

+49 (0)6132 – 84463

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1      H318: Causes serious eye damage.  
Skin sensitisation, Category 1      H317: May cause an allergic skin reaction.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :  

Signal word : Danger

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version 8.2      Revision Date: 21.08.2021      SDS Number: 250633-00009      Date of last issue: 16.11.2020  
Date of first issue: 19.02.2015

Hazard statements : H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.

Precautionary statements : **Prevention:**  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

**Hazardous components which must be listed on the label:**

Alcohols, C9-16, ethoxylated  
Polyethylene oxide monodecyl ether  
2-Methyl-2H-isothiazol-3-one

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Alcohols, C9-16, ethoxylated	97043-91-9	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412 <hr/> Acute toxicity estimate	>= 3 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version  
8.2

Revision Date:  
21.08.2021

SDS Number:  
250633-00009

Date of last issue: 16.11.2020  
Date of first issue: 19.02.2015

		Acute oral toxicity: 300,03 mg/kg	
Polyethylene oxide monodecyl ether	26183-52-8	Acute Tox. 4; H302 Eye Dam. 1; H318	$\geq 1 - < 3$
sodium p-cumenesulphonate	15763-76-5 239-854-6 01-2119489411-37	Eye Irrit. 2; H319	$\geq 1 - < 10$
2-Methyl-2H-isothiazol-3-one	2682-20-4 220-239-6 613-326-00-9	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1  specific concentration limit Skin Sens. 1A; H317 $\geq 0,0015 \%$  Acute toxicity estimate  Acute oral toxicity: 120 mg/kg Acute inhalation toxicity (dust/mist): 0,11 mg/l  Acute dermal toxicity: 242 mg/kg	$\geq 0,0025 - < 0,025$

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020
8.2	21.08.2021	250633-00009	Date of first issue: 19.02.2015

---

When symptoms persist or in all cases of doubt seek medical advice.

- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.  
Causes serious eye damage.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.
- 

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Not applicable  
Will not burn

Unsuitable extinguishing media : Not applicable  
Will not burn

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides  
Sulphur oxides  
Nitrogen oxides (NOx)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020
8.2	21.08.2021	250633-00009	Date of first issue: 19.02.2015

---

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

- Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version 8.2      Revision Date: 21.08.2021      SDS Number: 250633-00009      Date of last issue: 16.11.2020  
Date of first issue: 19.02.2015

### CONTROLS/PERSONAL PROTECTION section.

- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in properly labelled containers. Keep tightly closed.  
Store in accordance with the particular national regulations.
- Advice on common storage : No special restrictions on storage with other products.
- Storage class (TRGS 510) : 12, Non Combustible Liquids
- Recommended storage temperature : > 5 °C

### 7.3 Specific end use(s)

- Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2,2',2''-Nitrilotriethanol	102-71-6	AGW (Inhalable fraction)	1 mg/m <sup>3</sup>	DE TRGS 900
	Peak-limit: excursion factor (category): 1;(I)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version  
8.2

Revision Date:  
21.08.2021

SDS Number:  
250633-00009

Date of last issue: 16.11.2020  
Date of first issue: 19.02.2015

Substance name	End Use	Exposure routes	Potential health effects	Value
2,2',2''-Nitrilotriethanol	Workers	Skin contact	Long-term systemic effects	6,3 mg/kg bw/day
	Workers	Inhalation	Long-term local effects	5 mg/m3
	Workers	Inhalation	Long-term systemic effects	5 mg/m3
	Consumers	Ingestion	Long-term systemic effects	13 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	3,1 mg/m3
	Consumers	Inhalation	Long-term local effects	1,25 mg/m3
	Consumers	Inhalation	Long-term systemic effects	1,25 mg/m3
sodium p-cumenesulphonate	Workers	Inhalation	Long-term systemic effects	26,9 mg/m3
	Workers	Skin contact	Long-term systemic effects	136,25 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	0,096 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	6,6 mg/m3
	Consumers	Skin contact	Long-term systemic effects	68,1 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0,048 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	3,8 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2,2',2''-Nitrilotriethanol	Fresh water	0,32 mg/l
	Marine water	0,032 mg/l
	Intermittent use/release	5,12 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	1,7 mg/kg dry weight (d.w.)
	Marine sediment	0,17 mg/kg dry weight (d.w.)
	Soil	0,151 mg/kg dry weight (d.w.)
Sodium citrate	Fresh water	0,44 mg/l
	Marine water	0,044 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	34,6 mg/kg dry weight (d.w.)
	Marine water	3,46 mg/kg dry weight (d.w.)
	Soil	31,1 mg/kg dry weight (d.w.)
sodium p-cumenesulphonate	Fresh water	0,23 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version 8.2      Revision Date: 21.08.2021      SDS Number: 250633-00009      Date of last issue: 16.11.2020  
Date of first issue: 19.02.2015

	Marine water	0,023 mg/l
	Intermittent use/release	2,3 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	0,862 mg/kg
	Marine sediment	0,0862 mg/kg
	Soil	0,037 mg/kg

### 8.2 Exposure controls

#### Engineering measures

Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye protection : Wear the following personal protective equipment:  
Chemical resistant goggles must be worn.  
If splashes are likely to occur, wear:  
Face-shield  
Equipment should conform to DIN EN 166

#### Hand protection

Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0,5 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
Equipment should conform to DIN EN 14387

Filter type : Organic vapour type (A)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : yellow



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020
8.2	21.08.2021	250633-00009	Date of first issue: 19.02.2015

---

Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	100 °C
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	boils before flash
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	9,7 Concentration: 100 %
Viscosity	:	
Viscosity, kinematic	:	No data available
Solubility(ies)	:	
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available
Density	:	1,04 g/cm <sup>3</sup> (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

### 9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version 8.2      Revision Date: 21.08.2021      SDS Number: 250633-00009      Date of last issue: 16.11.2020  
Date of first issue: 19.02.2015

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

#### 10.4 Conditions to avoid

Conditions to avoid : None known.

#### 10.5 Incompatible materials

Materials to avoid : Acids

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

#### Components:

##### Alcohols, C9-16, ethoxylated:

Acute oral toxicity : LD50 (Rat): > 300 - 2.000 mg/kg  
Remarks: Based on data from similar materials  
  
Acute toxicity estimate: 300,03 mg/kg  
Method: Calculation method

##### Polyethylene oxide monodecyl ether:

Acute oral toxicity : LD50 (Rat): > 1.200 - 5.000 mg/kg  
Remarks: Based on data from similar materials

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version 8.2      Revision Date: 21.08.2021      SDS Number: 250633-00009      Date of last issue: 16.11.2020  
Date of first issue: 19.02.2015

---

### **sodium p-cumenesulphonate:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 6,41 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

### **2-Methyl-2H-isothiazol-3-one:**

Acute oral toxicity : LD50 (Rat): 120 mg/kg  
Acute toxicity estimate: 120 mg/kg  
Method: Calculation method

Acute inhalation toxicity : LC50 (Rat): 0,11 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: Corrosive to the respiratory tract.  
Acute toxicity estimate: 0,11 mg/l  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): 242 mg/kg  
Method: OECD Test Guideline 402  
Acute toxicity estimate: 242 mg/kg  
Method: Calculation method

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Alcohols, C9-16, ethoxylated:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### **Polyethylene oxide monodecyl ether:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

### **sodium p-cumenesulphonate:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version 8.2      Revision Date: 21.08.2021      SDS Number: 250633-00009      Date of last issue: 16.11.2020  
Date of first issue: 19.02.2015

---

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **2-Methyl-2H-isothiazol-3-one:**

Result : Corrosive after 3 minutes to 1 hour of exposure

### **Serious eye damage/eye irritation**

Causes serious eye damage.

### **Components:**

#### **Alcohols, C9-16, ethoxylated:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Remarks : Based on data from similar materials

#### **Polyethylene oxide monodecyl ether:**

Species : Rabbit  
Method : Draize Test  
Result : Irreversible effects on the eye  
Remarks : Based on data from similar materials

#### **sodium p-cumenesulphonate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

### **2-Methyl-2H-isothiazol-3-one:**

Result : Irreversible effects on the eye

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### **Alcohols, C9-16, ethoxylated:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

#### **sodium p-cumenesulphonate:**

Test Type : Buehler Test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020
8.2	21.08.2021	250633-00009	Date of first issue: 19.02.2015

---

Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

### **2-Methyl-2H-isothiazol-3-one:**

Exposure routes : Skin contact  
Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in humans

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Alcohols, C9-16, ethoxylated:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

#### **sodium p-cumenesulphonate:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

#### **2-Methyl-2H-isothiazol-3-one:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 486  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version 8.2      Revision Date: 21.08.2021      SDS Number: 250633-00009      Date of last issue: 16.11.2020  
Date of first issue: 19.02.2015

---

### Components:

#### **sodium p-cumenesulphonate:**

Species : Mouse  
Application Route : Skin contact  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

### **Reproductive toxicity**

Not classified based on available information.

### Components:

#### **sodium p-cumenesulphonate:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

#### **2-Methyl-2H-isothiazol-3-one:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

Not classified based on available information.

### **Repeated dose toxicity**

### Components:

#### **sodium p-cumenesulphonate:**

Species : Rat  
NOAEL : > 763 - < 3.534 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version 8.2      Revision Date: 21.08.2021      SDS Number: 250633-00009      Date of last issue: 16.11.2020  
Date of first issue: 19.02.2015

---

### Aspiration toxicity

Not classified based on available information.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

##### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **Alcohols, C9-16, ethoxylated:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : EC10: > 0,1 - 1 mg/l  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: > 0,1 - 1 mg/l  
Remarks: Based on data from similar materials

##### **Polyethylene oxide monodecyl ether:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10 - 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

##### **sodium p-cumenesulphonate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version 8.2      Revision Date: 21.08.2021      SDS Number: 250633-00009      Date of last issue: 16.11.2020  
Date of first issue: 19.02.2015

---

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): >= 230 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials
- NOEC (Pseudokirchneriella subcapitata (green algae)): 31 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC10 : >= 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209
- 2-Methyl-2H-isothiazol-3-one:**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4,77 - 6 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,93 - 1,9 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 0,1 mg/l  
Exposure time: 72 h
- ErC50 (Skeletonema costatum (marine diatom)): 0,0695 mg/l  
Exposure time: 24 h
- EC10 (Pseudokirchneriella subcapitata (green algae)): 0,024 mg/l  
Exposure time: 24 h
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC: 2,1 mg/l  
Exposure time: 33 d  
Species: Pimephales promelas (fathead minnow)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,04 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)
- M-Factor (Chronic aquatic toxicity) : 1



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version 8.2      Revision Date: 21.08.2021      SDS Number: 250633-00009      Date of last issue: 16.11.2020  
Date of first issue: 19.02.2015

---

### 12.2 Persistence and degradability

#### Components:

##### **Alcohols, C9-16, ethoxylated:**

Biodegradability : Result: rapidly biodegradable  
Remarks: Based on data from similar materials

##### **Polyethylene oxide monodecyl ether:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 83 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
Remarks: Based on data from similar materials

##### **sodium p-cumenesulphonate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 99,8 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
Remarks: Based on data from similar materials

##### **2-Methyl-2H-isothiazol-3-one:**

Biodegradability : Result: Not readily biodegradable.

### 12.3 Bioaccumulative potential

#### Components:

##### **sodium p-cumenesulphonate:**

Partition coefficient: n-octanol/water : log Pow: -1,1

##### **2-Methyl-2H-isothiazol-3-one:**

Partition coefficient: n-octanol/water : log Pow: -0,34

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020
8.2	21.08.2021	250633-00009	Date of first issue: 19.02.2015

---

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Waste Code : The following Waste Codes are only suggestions:

used product  
20 01 29, detergents containing hazardous substances

unused product  
20 01 29, detergents containing hazardous substances

uncleaned packagings  
15 01 10, packaging containing residues of or contaminated by hazardous substances

Acc. Packaging Act properly emptied packaging:  
Properly emptied, non-contaminated packaging of non-hazardous products can be supplied to a system for the collection of sales packaging.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

Not regulated as a dangerous good

### 14.2 UN proper shipping name

Not regulated as a dangerous good

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020
8.2	21.08.2021	250633-00009	Date of first issue: 19.02.2015

---

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

### 14.4 Packing group

Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

Water hazard class (Germany) : WGK 1 slightly hazardous to water  
Classification according to AwSV, Annex 1 (5.2)

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 0 %, 0 g/l  
Remarks: VOC content excluding water

Regulation (EC) No. 648/2004, as amended : less than 5 %: Anionic surfactants, Non-ionic surfactants  
Other constituents: Perfumes  
Preservation agents:  
METHYLISOTHIAZOLINONE

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020
8.2	21.08.2021	250633-00009	Date of first issue: 19.02.2015

BENZISOTHIAZOLINONE  
Allergens:  
LIMONENE

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H301 : Toxic if swallowed.  
H302 : Harmful if swallowed.  
H311 : Toxic in contact with skin.  
H314 : Causes severe skin burns and eye damage.  
H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H330 : Fatal if inhaled.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
H412 : Harmful to aquatic life with long lasting effects.  
EUH071 : Corrosive to the respiratory tract.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Dam. : Serious eye damage  
Eye Irrit. : Eye irritation  
Skin Corr. : Skin corrosion  
Skin Sens. : Skin sensitisation  
DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.  
DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BMF CLEANER - 5 L

Version	Revision Date:	SDS Number:	Date of last issue: 16.11.2020
8.2	21.08.2021	250633-00009	Date of first issue: 19.02.2015

Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Eye Dam. 1	H318
Skin Sens. 1	H317

### Classification procedure:

Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN