

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Hand Cleaner Nature
Product code : 0893900000

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Cosmetic products
Hand cleaner
Professional use product

Recommended restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

1.3 Details of the supplier of the safety data sheet

Company : Würth UK Ltd
1 Centurion Way
Erith, Kent

Telephone : +44 (0)3300 555 444

Telefax : +44 (0)3300 555 666

E-mail address of person responsible for the SDS : prodsafe@wuerth.com

1.4 Emergency telephone number

+44 (0)870 190 6777

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Serious eye damage, Category 1	H318: Causes serious eye damage.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

Response:
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Isotridecanol, ethoxylated

Additional Labelling

EUH208 Contains 5-Chloro-2-methyl-4-isothiazolin-3-one, 2-Methyl-2H-isothiazol-3-one.
May produce an allergic reaction.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version 8.1 Revision Date: 02.02.2023 SDS Number: 9355914-00004 Date of last issue: 27.09.2022
Date of first issue: 18.05.2018

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 500-234-8	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 specific concentration limit Eye Dam. 1; H318 >= 10 % Eye Irrit. 2; H319 5 - < 10 %	>= 5 - < 10
Isotridecanol, ethoxylated	69011-36-5	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 1 - < 3
2-Bromo-2-nitro- 1,3-propanediol	52-51-7 200-143-0 603-085-00-8	Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 10	>= 0.025 - < 0.1
5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4 247-500-7	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.0002 - < 0.0015

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version 8.1 Revision Date: 02.02.2023 SDS Number: 9355914-00004 Date of last issue: 27.09.2022
Date of first issue: 18.05.2018

		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 10 specific concentration limit Skin Sens. 1A; H317 >= 0.0015 %	
Silver chloride	7783-90-6 232-033-3	Met. Corr. 1; H290 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1,000 M-Factor (Chronic aquatic toxicity): 1,000	>= 0.0002 - < 0.0025
2-Methyl-2H-isothiazol-3-one	2682-20-4 220-239-6 613-326-00-9	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0.0015 %	>= 0.0002 - < 0.0015

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Sulphur oxides
Metal oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.

If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- | | | |
|-------------------------|---|--|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | Use only with adequate ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Avoid breathing vapours.
Do not swallow.
Do not get in eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. |

7.2 Conditions for safe storage, including any incompatibilities

- | | | |
|---|---|---|
| Requirements for storage areas and containers | : | Keep in properly labelled containers. Keep tightly closed.
Store in accordance with the particular national regulations. |
| Advice on common storage | : | No special restrictions on storage with other products. |
| Storage period | : | 24 Months |
| Recommended storage temperature | : | 5 - 25 °C |
| Dampness | : | Keep in a dry place. |

7.3 Specific end use(s)

- | | | |
|-----------------|---|-------------------|
| Specific use(s) | : | No data available |
|-----------------|---|-------------------|
-

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version
8.1

Revision Date:
02.02.2023

SDS Number:
9355914-00004

Date of last issue: 27.09.2022
Date of first issue: 18.05.2018

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
2-Bromo-2-nitro- 1,3-propanediol	Workers	Inhalation	Long-term systemic effects	4.1 mg/m ³
	Workers	Inhalation	Acute systemic effects	12.3 mg/m ³
	Workers	Inhalation	Long-term local effects	4.2 mg/m ³
	Workers	Inhalation	Acute local effects	4.2 mg/m ³
	Workers	Skin contact	Long-term systemic effects	2.3 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	7 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	0.013 mg/kg bw/day
	Workers	Skin contact	Acute local effects	0.013 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m ³
	Consumers	Inhalation	Acute systemic effects	3.7 mg/m ³
	Consumers	Inhalation	Long-term local effects	1.3 mg/m ³
	Consumers	Inhalation	Acute local effects	1.3 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	1.4 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	4.2 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0.008 mg/kg bw/day
	Consumers	Skin contact	Acute local effects	0.008 mg/kg bw/day
Consumers	Ingestion	Long-term systemic effects	0.35 mg/kg bw/day	
Consumers	Ingestion	Acute systemic effects	1.1 mg/kg bw/day	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Workers	Inhalation	Long-term systemic effects	175 mg/m ³
	Workers	Ingestion	Long-term systemic effects	2750 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	52 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	1650 mg/kg bw/day
Consumers	Ingestion	Long-term systemic effects	15 mg/kg bw/day	
Silver chloride	Workers	Inhalation	Long-term systemic effects	0.13 mg/m ³

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version 8.1 Revision Date: 02.02.2023 SDS Number: 9355914-00004 Date of last issue: 27.09.2022
Date of first issue: 18.05.2018

	Consumers	Inhalation	Long-term systemic effects	0.053 mg/m ³
	Consumers	Ingestion	Long-term systemic effects	1.59 mg/kg bw/day

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
2-Bromo-2-nitro- 1,3-propanediol	Fresh water	0.01 mg/l
	Marine water	0.0008 mg/l
	Intermittent use/release	0.0025 mg/l
	Sewage treatment plant	0.43 mg/l
	Fresh water sediment	0.041 mg/kg
	Marine sediment	0.00328 mg/kg
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Soil	0.5 mg/kg
	Fresh water	0.24 mg/l
	Marine water	0.024 mg/l
	Intermittent use/release	0.071 mg/l
	Sewage treatment plant	10000 mg/l
	Fresh water sediment	5.45 mg/kg
Silver chloride	Marine sediment	0.545 mg/kg
	Soil	0.946 mg/kg
	Fresh water	0.04 µg/l
	Marine water	0.86 µg/l
	Sewage treatment plant	0.025 mg/l
	Fresh water sediment	438.13 mg/kg
Marine sediment	438.13 mg/kg	
Soil	0.794 mg/kg	

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:
Chemical resistant goggles must be worn.
If splashes are likely to occur, wear:
Face-shield
Equipment should conform to BS EN 166

Hand protection

Remarks : not required

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

sure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Equipment should conform to BS EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	paste
Colour	:	beige
Odour	:	pleasant
Odour Threshold	:	No data available
pH	:	7 Concentration: 100 %
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	> 100 °C
Flash point	:	> 100 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	23 hPa (20 °C)
Relative vapour density	:	No data available
Density	:	ca. 1.00 g/cm ³ (20 °C)
Bulk density	:	1,000 kg/m ³
Solubility(ies) Water solubility	:	completely miscible
Partition coefficient: n-octanol/water	:	Not applicable

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : > 1000 mm²/s (40 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) : No data available

Metal corrosion rate : Not corrosive to metals

Particle size : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : None.

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure :
Inhalation
Skin contact
Ingestion
Eye contact

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts:

Acute oral toxicity : LD50 (Rat): 4,100 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Isotridecanol, ethoxylated:

Acute oral toxicity : LD50 (Rat): > 500 mg/kg

2-Bromo-2-nitro- 1,3-propanediol:

Acute oral toxicity : LD50 (Rat): 193 - 211 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.588 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

LC50 (Rat): > 0.12 - < 1.14 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg
Method: Expert judgement
Remarks: Based on national or regional regulation.

5-Chloro-2-methyl-4-isothiazolin-3-one:

Acute oral toxicity : LD50 (Rat, male): > 50 - 300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.05 - 0.5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: Corrosive to the respiratory tract.
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit, male): > 50 - 200 mg/kg
Remarks: Based on data from similar materials

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

Silver chloride:

Acute oral toxicity : LD50 (Rat): > 5,110 mg/kg
Method: OECD Test Guideline 401

2-Methyl-2H-isothiazol-3-one:

Acute oral toxicity : LD50 (Rat): 120 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rat): 242 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

2-Bromo-2-nitro- 1,3-propanediol:

Species : Rabbit
Result : Skin irritation

5-Chloro-2-methyl-4-isothiazolin-3-one:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Corrosive after 4 hours or less of exposure
Remarks : Based on data from similar materials

Silver chloride:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

2-Methyl-2H-isothiazol-3-one:

Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version 8.1 Revision Date: 02.02.2023 SDS Number: 9355914-00004 Date of last issue: 27.09.2022
Date of first issue: 18.05.2018

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts:

Species : Rabbit
Result : Irreversible effects on the eye

Isotridecanol, ethoxylated:

Result : Irreversible effects on the eye

2-Bromo-2-nitro- 1,3-propanediol:

Species : Rabbit
Result : Irreversible effects on the eye

5-Chloro-2-methyl-4-isothiazolin-3-one:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

Silver chloride:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

2-Methyl-2H-isothiazol-3-one:

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

2-Bromo-2-nitro- 1,3-propanediol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version 8.1 Revision Date: 02.02.2023 SDS Number: 9355914-00004 Date of last issue: 27.09.2022
Date of first issue: 18.05.2018

5-Chloro-2-methyl-4-isothiazolin-3-one:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : positive
Remarks : Based on data from similar materials

Assessment : Probability or evidence of high skin sensitisation rate in humans

Silver chloride:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OPPTS 870.2600
Result : negative

2-Methyl-2H-isothiazol-3-one:

Exposure routes : Skin contact
Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 475
Result: negative

2-Bromo-2-nitro- 1,3-propanediol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: inhalation (dust/mist/fume)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

Method: OECD Test Guideline 474
Result: negative

5-Chloro-2-methyl-4-isothiazolin-3-one:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: positive
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: positive
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Result: positive
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow
cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 475
Result: equivocal
Remarks: Based on data from similar materials

Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Silver chloride:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: equivocal
Remarks: Based on data from similar materials

Test Type: in vitro micronucleus test
Method: OECD Test Guideline 487
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Rat
Application Route: Ingestion

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

Result: negative
Remarks: Based on data from similar materials

2-Methyl-2H-isothiazol-3-one:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with
mammalian liver cells in vivo
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 486
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

2-Bromo-2-nitro- 1,3-propanediol:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

5-Chloro-2-methyl-4-isothiazolin-3-one:

Species : Rat
Application Route : Ingestion
Exposure time : 24 Months
Method : OECD Test Guideline 453
Result : negative
Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal develop- : Test Type: Embryo-foetal development
ment : Species: Rat
Application Route: Ingestion
Result: negative

2-Bromo-2-nitro- 1,3-propanediol:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

5-Chloro-2-methyl-4-isothiazolin-3-one:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

Silver chloride:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

2-Methyl-2H-isothiazol-3-one:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

STOT - single exposure

Not classified based on available information.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version 8.1 Revision Date: 02.02.2023 SDS Number: 9355914-00004 Date of last issue: 27.09.2022
Date of first issue: 18.05.2018

Components:

2-Bromo-2-nitro- 1,3-propanediol:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

5-Chloro-2-methyl-4-isothiazolin-3-one:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Silver chloride:

Exposure routes : Ingestion

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts:

Species : Rat
NOAEL : ≥ 225 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 408

2-Bromo-2-nitro- 1,3-propanediol:

Species : Rat
NOAEL : < 20 mg/kg
LOAEL : 20 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

5-Chloro-2-methyl-4-isothiazolin-3-one:

Species : Dog
NOAEL : > 10 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 409
Remarks : Based on data from similar materials

Silver chloride:

Species : Rat
LOAEL : 1.5 mg/kg
Application Route : Ingestion

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

Exposure time : 30 Days

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7.1 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 7.4 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Desmodesmus subspicatus (green algae)): 27.7 mg/l
plants : Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 0.95 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox- : EC10: 0.69 mg/l
icity) : Exposure time: 45 d
Species: Oncorhynchus mykiss (rainbow trout)
Remarks: Based on data from similar materials

Toxicity to daphnia and other : NOEC: 0.18 mg/l
aquatic invertebrates (Chron- : Exposure time: 21 d
ic toxicity) : Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

Isotridecanol, ethoxylated:

Toxicity to fish : LC50 : 3 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 1.5 mg/l
aquatic invertebrates : Exposure time: 48 h

2-Bromo-2-nitro- 1,3-propanediol:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 35.7 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1.4 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

aquatic invertebrates	Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Anabaena flos-aquae (cyanobacterium)): 0.068 mg/l Exposure time: 72 h NOEC (Anabaena flos-aquae (cyanobacterium)): 0.025 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to fish (Chronic toxicity)	: NOEC: 21.5 mg/l Exposure time: 49 d Species: Oncorhynchus mykiss (rainbow trout) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0.06 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

5-Chloro-2-methyl-4-isothiazolin-3-one:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 0.01 - 0.1 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Skeletonema costatum (marine diatom)): > 0.001 - 0.01 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials NOEC (Skeletonema costatum (marine diatom)): > 0.001 - 0.01 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	: 100
Toxicity to microorganisms	: EC50 : > 1 - 10 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	: NOEC: > 0.01 - 0.1 mg/l Exposure time: 36 d

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version 8.1 Revision Date: 02.02.2023 SDS Number: 9355914-00004 Date of last issue: 27.09.2022
Date of first issue: 18.05.2018

Species: Pimephales promelas (fathead minnow)
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.001 - 0.01 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

Silver chloride:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.001 - 0.01 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.0001 - 0.001 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.001 - 0.01 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.0001 - 0.001 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1,000

Toxicity to fish (Chronic toxicity) : NOEC: > 0.00001 - 0.0001 mg/l
Exposure time: 60 d
Species: Oncorhynchus mykiss (rainbow trout)
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.0001 - 0.001 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1,000

2-Methyl-2H-isothiazol-3-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.77 - 6 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.93 - 1.9 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): 0.1 mg/l Exposure time: 72 h ErC50 (Skeletonema costatum (marine diatom)): 0.0695 mg/l Exposure time: 24 h EC10 (Pseudokirchneriella subcapitata (green algae)): 0.024 mg/l Exposure time: 24 h
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC: 2.1 mg/l Exposure time: 33 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.04 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	:	1

12.2 Persistence and degradability

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 28 d Method: Directive 67/548/EEC Annex V, C.4.C.
------------------	---	--

Isotridecanol, ethoxylated:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 76.5 % Exposure time: 28 d
------------------	---	---

2-Bromo-2-nitro- 1,3-propanediol:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 70 - 80 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---	--

5-Chloro-2-methyl-4-isothiazolin-3-one:

Biodegradability	:	Result: Not readily biodegradable.
------------------	---	------------------------------------

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

Biodegradation: 62 %
Exposure time: 29 d
Method: OECD Test Guideline 301B

2-Methyl-2H-isothiazol-3-one:

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts:

Partition coefficient: n- : log Pow: 0.3
octanol/water

2-Bromo-2-nitro- 1,3-propanediol:

Partition coefficient: n- : log Pow: 0.22
octanol/water

5-Chloro-2-methyl-4-isothiazolin-3-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 41 - 54

Partition coefficient: n- : log Pow: 0.401
octanol/water

Silver chloride:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): < 500
Remarks: Based on data from similar materials

2-Methyl-2H-isothiazol-3-one:

Partition coefficient: n- : log Pow: -0.34
octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Waste Code : The following Waste Codes are only suggestions:

used product
07 06 01, aqueous washing liquids and mother liquors

unused product
07 06 01, aqueous washing liquids and mother liquors

uncleaned packagings
15 01 10, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the following entries should be considered:
Number on list 3

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH)
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: <= 0.1 %, <= 1 g/l
Remarks: VOC content excluding water

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H290 : May be corrosive to metals.
H301 : Toxic if swallowed.
H302 : Harmful if swallowed.
H310 : Fatal in contact with skin.
H311 : Toxic in contact with skin.
H312 : Harmful in contact with skin.
H314 : Causes severe skin burns and eye damage.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H330 : Fatal if inhaled.
H331 : Toxic if inhaled.
H335 : May cause respiratory irritation.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Dam. : Serious eye damage
Met. Corr. : Corrosive to metals

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Aquatic Chronic 3 H412
Eye Dam. 1 H318

Classification procedure:

Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Hand Cleaner Nature

Version	Revision Date:	SDS Number:	Date of last issue: 27.09.2022
8.1	02.02.2023	9355914-00004	Date of first issue: 18.05.2018

considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN