

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| | | |
|---------------------------------|---|---------------------|
| Trade name | : | Injector X |
| Product code | : | 0893300250 |
| Unique Formula Identifier (UFI) | : | D190-A07S-C00Y-9AN1 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | | |
|---------------------------------|---|--|
| Use of the Sub-stance/Mixture | : | Cleaning agent, Corrosion inhibitor, Detergent Professional use product |
| Recommended restrictions on use | : | Not applicable |

1.3 Details of the supplier of the safety data sheet

| | | |
|--|---|--|
| Company | : | Wurth UK Ltd 1 Centurion Way Erith, Kent |
| Telephone | : | +44 (0)3300 555 444 |
| Telefax | : | +44 (0)3300 555 666 |
| E-mail address of person responsible for the SDS | : | prodsafe@wuerth.com |

1.4 Emergency telephone number

+44 (0)870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

| | |
|--------------------------------|---|
| Aerosols, Category 1 | H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated. |
| Eye irritation, Category 2 | H319: Causes serious eye irritation. |
| Skin sensitisation, Category 1 | H317: May cause an allergic skin reaction. |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

Version 7.1 Revision Date: 09.01.2023 SDS Number: 10073496-00005 Date of last issue: 24.11.2022
Date of first issue: 22.10.2015

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word : Danger

Hazard statements :
H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Precautionary statements :

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P261 Avoid breathing spray.
P280 Wear protective gloves/ eye protection/ face protection.

Storage:

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Hazardous components which must be listed on the label:

Methyl salicylate
Cinnamaldehyde

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

May displace oxygen and cause rapid suffocation.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration (% w/w) |
|---------------|---|--|--------------------------|
| Ethanol | 64-17-5 200-578-6 603-002-00-5 | Flam. Liq. 2; H225 Eye Irrit. 2; H319 | >= 30 - < 50 |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

Version 7.1 Revision Date: 09.01.2023 SDS Number: 10073496-00005 Date of last issue: 24.11.2022
Date of first issue: 22.10.2015

| | | | |
|--|---------------------------------------|--|--------------|
| | | specific concentration limit Eye Irrit. 2; H319 >= 50 % | |
| 1-Methoxy-2-propanol | 107-98-2 203-539-1 603-064-00-3 | Flam. Liq. 3; H226 STOT SE 3; H336 | >= 1 - < 10 |
| Pentane-2,4-dione | 123-54-6 204-634-0 606-029-00-0 | Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 3; H311 | >= 1 - < 10 |
| Methyl salicylate | 119-36-8 204-317-7 607-749-00-8 | Acute Tox. 4; H302 Eye Dam. 1; H318 Skin Sens. 1B; H317 Repr. 2; H361d Aquatic Chronic 3; H412 | >= 1 - < 2.5 |
| Cinnamaldehyde | 104-55-2 203-213-9 | Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 | >= 0.1 - < 1 |
| Substances with a workplace exposure limit : | | | |
| Butane | 106-97-8 203-448-7 601-004-00-0 | Flam. Gas 1A; H220 Press. Gas Liquefied gas; H280 | >= 20 - < 30 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Gas reduces oxygen available for breathing.

May cause an allergic skin reaction.
Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.
If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.

Hazardous combustion products : Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Remove all sources of ignition.
Ventilate the area.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.

If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapours/mists with a water spray jet.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Avoid breathing spray.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.
Do not spray on an open flame or other ignition source.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store locked up. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Do not pierce or burn, even after use. Keep cool. Protect from sunlight.
- Advice on common storage : Do not store with the following product types:
Self-reactive substances and mixtures
Organic peroxides
Oxidizing agents
Flammable solids
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Substances and mixtures, which in contact with water, emit flammable gases
Explosives
Gases

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

Version 7.1 Revision Date: 09.01.2023 SDS Number: 10073496-00005 Date of last issue: 24.11.2022
Date of first issue: 22.10.2015

Recommended storage temperature : ≥ -5 °C

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|----------------------|--|-------------------------------|--------------------------------------|------------|
| Ethanol | 64-17-5 | TWA | 1,000 ppm 1,920 mg/m ³ | GB EH40 |
| Butane | 106-97-8 | TWA | 600 ppm 1,450 mg/m ³ | GB EH40 |
| | Further information: Capable of causing cancer and/or heritable genetic damage. | | | |
| | | STEL | 750 ppm 1,810 mg/m ³ | GB EH40 |
| | Further information: Capable of causing cancer and/or heritable genetic damage. | | | |
| 1-Methoxy-2-propanol | 107-98-2 | STEL | 150 ppm 560 mg/m ³ | GB EH40 |
| | Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity. | | | |
| | | TWA | 100 ppm 375 mg/m ³ | GB EH40 |
| | Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity. | | | |
| | | STEL | 150 ppm 568 mg/m ³ | 2000/39/EC |
| | Further information: Identifies the possibility of significant uptake through the skin, Indicative | | | |
| | | TWA | 100 ppm 375 mg/m ³ | 2000/39/EC |
| | Further information: Identifies the possibility of significant uptake through the skin, Indicative | | | |

Derived No Effect Level (DNEL):

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|----------------|---------|-----------------|----------------------------|-----------------------|
| Ethanol | Workers | Inhalation | Long-term systemic effects | 950 mg/m ³ |
| | Workers | Skin contact | Long-term systemic | 343 mg/kg |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

Version
7.1

Revision Date:
09.01.2023

SDS Number:
10073496-00005

Date of last issue: 24.11.2022
Date of first issue: 22.10.2015

| | | | effects | bw/day |
|----------------------|-----------|--------------|----------------------------|---------------------------|
| | Consumers | Inhalation | Long-term systemic effects | 114 mg/m ³ |
| | Consumers | Skin contact | Long-term systemic effects | 206 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 87 mg/kg bw/day |
| 1-Methoxy-2-propanol | Workers | Inhalation | Long-term systemic effects | 369 mg/m ³ |
| | Workers | Inhalation | Acute systemic effects | 553.5 mg/m ³ |
| | Workers | Inhalation | Acute local effects | 553.5 mg/m ³ |
| | Workers | Skin contact | Long-term systemic effects | 183 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 43.9 mg/m ³ |
| | Consumers | Skin contact | Long-term systemic effects | 78 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 33 mg/kg bw/day |
| Ethyl Acetoacetate | Workers | Inhalation | Long-term systemic effects | 29.1667 mg/m ³ |
| | Workers | Skin contact | Long-term systemic effects | 8.333 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 6.25 mg/m ³ |
| | Consumers | Skin contact | Long-term systemic effects | 4.167 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 4.167 mg/kg bw/day |
| Pentane-2,4-dione | Workers | Inhalation | Long-term systemic effects | 84 mg/m ³ |
| | Workers | Skin contact | Long-term systemic effects | 12 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 7 mg/kg bw/day |
| Cinnamaldehyde | Workers | Inhalation | Long-term systemic effects | 2.204 mg/m ³ |
| | Workers | Skin contact | Long-term systemic effects | 2.513 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 0.543 mg/m ³ |
| | Consumers | Skin contact | Long-term systemic effects | 0.625 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 2.5 mg/kg bw/day |
| Methyl salicylate | Workers | Inhalation | Long-term systemic effects | 17.5 mg/m ³ |
| | Workers | Inhalation | Acute systemic effects | 285 mg/m ³ |
| | Workers | Skin contact | Long-term systemic effects | 6 mg/kg bw/day |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

Version 7.1 Revision Date: 09.01.2023 SDS Number: 10073496-00005 Date of last issue: 24.11.2022
Date of first issue: 22.10.2015

| | | | | |
|--|-----------|--------------|----------------------------|----------------|
| | Consumers | Inhalation | Long-term systemic effects | 4 mg/m3 |
| | Consumers | Inhalation | Acute systemic effects | 213 mg/m3 |
| | Consumers | Skin contact | Long-term systemic effects | 3 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 1 mg/kg bw/day |
| | Consumers | Ingestion | Acute systemic effects | 5 mg/kg bw/day |

Predicted No Effect Concentration (PNEC):

| Substance name | Environmental Compartment | Value |
|----------------------|----------------------------|--------------------------------|
| Ethanol | Fresh water | 0.96 mg/l |
| | Freshwater - intermittent | 2.75 mg/l |
| | Marine water | 0.79 mg/l |
| | Sewage treatment plant | 580 mg/l |
| | Fresh water sediment | 3.6 mg/kg dry weight (d.w.) |
| | Marine sediment | 2.9 mg/kg dry weight (d.w.) |
| | Soil | 0.63 mg/kg dry weight (d.w.) |
| 1-Methoxy-2-propanol | Oral (Secondary Poisoning) | 380 mg/kg food |
| | Fresh water | 10 mg/l |
| | Marine water | 1 mg/l |
| | Freshwater - intermittent | 100 mg/l |
| | Sewage treatment plant | 100 mg/l |
| | Fresh water sediment | 52.3 mg/kg dry weight (d.w.) |
| | Marine sediment | 5.2 mg/kg dry weight (d.w.) |
| Ethyl Acetoacetate | Soil | 4.59 mg/kg dry weight (d.w.) |
| | Fresh water | 0.1 mg/l |
| | Freshwater - intermittent | 1 mg/l |
| | Marine water | 0.01 mg/l |
| | Sewage treatment plant | 300 mg/l |
| | Fresh water sediment | 0.1465 mg/kg dry weight (d.w.) |
| | Marine sediment | 0.0147 mg/kg dry weight (d.w.) |
| Pentane-2,4-dione | Soil | 0.0501 mg/kg dry weight (d.w.) |
| | Fresh water | 0.2 mg/l |
| | Freshwater - intermittent | 0.26 mg/l |
| | Marine water | 0.02 mg/l |
| | Sewage treatment plant | 1.32 mg/l |
| | Fresh water sediment | 1.909 mg/kg dry weight (d.w.) |
| | Marine sediment | 0.191 mg/kg dry weight (d.w.) |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

Version 7.1 Revision Date: 09.01.2023 SDS Number: 10073496-00005 Date of last issue: 24.11.2022
Date of first issue: 22.10.2015

| | | |
|-------------------|---------------------------|-------------------------------|
| | Soil | 0.193 mg/kg dry weight (d.w.) |
| Cinnamaldehyde | Fresh water | 0.021 mg/l |
| | Marine water | 0.002 mg/l |
| | Freshwater - intermittent | 0.21 mg/l |
| | Sewage treatment plant | 7.1 mg/l |
| | Fresh water sediment | 0.021 mg/kg dry weight (d.w.) |
| | Marine sediment | 0.002 mg/kg dry weight (d.w.) |
| | Soil | 0.004 mg/kg dry weight (d.w.) |
| Methyl salicylate | Fresh water | 20 µg/l |
| | Marine water | 2 µg/l |
| | Intermittent use/release | 200 µg/l |
| | Sewage treatment plant | 140 mg/l |
| | Fresh water sediment | 0.33 mg/kg |
| | Marine sediment | 0.033 mg/kg |
| | Soil | 0.35 mg/kg |

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust ventilation.

If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:
Safety goggles
Equipment should conform to BS EN 166

Hand protection

Material : Neoprene
Break through time : > 480 min
Glove thickness : > 0.4 mm

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : > 0.4 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

Wear the following personal protective equipment:
If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Equipment should conform to BS EN 137

Filter type : Self-contained breathing apparatus

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Aerosol containing a liquefied gas

Propellant : Propane, Butane

Colour : white

Odour : fruity

Odour Threshold : No data available

pH : Solvent mixture; pH value determination not possible, no aqueous solution

Melting point/freezing point : No data available

Initial boiling point and boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Extremely flammable aerosol.

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

| | | |
|--|---|--|
| Density | : | 0.84 g/cm ³ (24 °C) |
| Solubility(ies) Water solubility | : | partly miscible |
| Partition coefficient: n- octanol/water | : | Not applicable |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity Viscosity, kinematic | : | Not applicable |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |

9.2 Other information

| | | |
|---------------|---|----------------|
| Particle size | : | Not applicable |
|---------------|---|----------------|

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

| | | |
|---------------------|---|--|
| Hazardous reactions | : | Extremely flammable aerosol. Vapours may form explosive mixture with air. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure. Can react with strong oxidizing agents. |
|---------------------|---|--|

10.4 Conditions to avoid

| | | |
|---------------------|---|--------------------------|
| Conditions to avoid | : | Heat, flames and sparks. |
|---------------------|---|--------------------------|

10.5 Incompatible materials

| | | |
|--------------------|---|------------------|
| Materials to avoid | : | Oxidizing agents |
|--------------------|---|------------------|

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Ethanol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l
Exposure time: 4 h
Test atmosphere: vapour

1-Methoxy-2-propanol:

Acute oral toxicity : LD50 (Rat): 4,016 mg/kg

Acute inhalation toxicity : LC50 (Mouse): < 22.2 mg/l
Exposure time: 6 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Pentane-2,4-dione:

Acute oral toxicity : LD50 (Rat): 570 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5.1 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 790 mg/kg

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

Methyl salicylate:

Acute oral toxicity : LD50 (Rat): 890 mg/kg

Cinnamaldehyde:

Acute oral toxicity : LD50 (Rat): 2,200 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 1,260 mg/kg

Butane:

Acute inhalation toxicity : LC50 (Rat): 658 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethanol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

1-Methoxy-2-propanol:

Species : Rabbit
Result : No skin irritation

Pentane-2,4-dione:

Species : Rabbit
Result : No skin irritation

Methyl salicylate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Cinnamaldehyde:

Species : human skin
Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Ethanol:

Species : Rabbit
Method : OECD Test Guideline 405

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

Result : Irritation to eyes, reversing within 21 days

1-Methoxy-2-propanol:

Species : Rabbit
Result : No eye irritation

Pentane-2,4-dione:

Species : Rabbit
Result : No eye irritation

Methyl salicylate:

Species : Tissue Culture
Method : OECD Test Guideline 491
Result : Irreversible effects on the eye

Cinnamaldehyde:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Ethanol:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Result : negative

1-Methoxy-2-propanol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Pentane-2,4-dione:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

Version 7.1 Revision Date: 09.01.2023 SDS Number: 10073496-00005 Date of last issue: 24.11.2022
Date of first issue: 22.10.2015

Methyl salicylate:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

Cinnamaldehyde:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethanol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Ingestion
Result: equivocal

1-Methoxy-2-propanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells
Result: equivocal

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Method: OECD Test Guideline 482
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Pentane-2,4-dione:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells
Result: positive

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: Inhalation
Method: OPPTS 870.5395
Result: negative

Methyl salicylate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Cinnamaldehyde:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

Species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow
cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Ingestion
Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with
mammalian liver cells in vivo
Species: Rat
Application Route: Ingestion
Result: negative

Butane:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Rat
Application Route: inhalation (gas)
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

1-Methoxy-2-propanol:

Species : Rat
Application Route : inhalation (vapour)
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : negative

Methyl salicylate:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

Result : negative

Cinnamaldehyde:

Species : Rat
Application Route : Ingestion
Exposure time : 106 weeks
Result : negative
Remarks : Based on data from similar materials

Species : Mouse
Application Route : Intraperitoneal injection
Exposure time : 24 weeks
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Result: negative

1-Methoxy-2-propanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: inhalation (vapour)
Method: OECD Test Guideline 416
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: inhalation (vapour)
Result: negative

Pentane-2,4-dione:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: inhalation (vapour)
Result: negative

Methyl salicylate:

Effects on fertility : Test Type: Three-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

ment
Species: Rat
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Test Type: Embryo-foetal development
Species: Monkey
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Cinnamaldehyde:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Butane:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: inhalation (gas)
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Application Route: inhalation (gas)
Method: OECD Test Guideline 422
Result: negative

STOT - single exposure

Not classified based on available information.

Components:

1-Methoxy-2-propanol:

Assessment : May cause drowsiness or dizziness.

Butane:

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

Version 7.1 Revision Date: 09.01.2023 SDS Number: 10073496-00005 Date of last issue: 24.11.2022
Date of first issue: 22.10.2015

Repeated dose toxicity

Components:

Ethanol:

Species : Rat
NOAEL : 1,280 mg/kg
LOAEL : 3,156 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

1-Methoxy-2-propanol:

Species : Rat
NOAEL : 919 mg/kg
Application Route : Ingestion
Exposure time : 35 Days

Species : Rat
NOAEL : 1.1 mg/l
Application Route : inhalation (vapour)
Exposure time : 2 yr
Method : OECD Test Guideline 453

Species : Rabbit
NOAEL : 1,838 mg/kg
Application Route : Skin contact
Exposure time : 90 Days

Pentane-2,4-dione:

Species : Rat
NOAEL : 0.417 mg/l
LOAEL : 2.71 mg/l
Application Route : inhalation (vapour)
Exposure time : 14 Weeks

Methyl salicylate:

Species : Rat
NOAEL : 50 mg/kg
LOAEL : 250 mg/kg
Application Route : Ingestion
Exposure time : 2 yr

Cinnamaldehyde:

Species : Rat
NOAEL : 200 mg/kg
Application Route : Ingestion
Exposure time : 12 Weeks

Butane:

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

| | | |
|-------------------|---|-------------------------|
| Species | : | Rat |
| NOAEL | : | 9000 ppm |
| Application Route | : | inhalation (gas) |
| Exposure time | : | 6 Weeks |
| Method | : | OECD Test Guideline 422 |

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Ethanol:

| | | |
|--|---|--|
| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Ceriodaphnia (water flea)): > 1,000 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l Exposure time: 72 h |
| Toxicity to microorganisms | : | EC50 (Pseudomonas putida): 6,500 mg/l Exposure time: 16 h |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 9.6 mg/l Exposure time: 9 d Species: Daphnia magna (Water flea) |

1-Methoxy-2-propanol:

| | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Leuciscus idus (Golden orfe)): 6,812 mg/l Exposure time: 96 h Method: DIN 38412 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 23,300 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Skeletonema costatum (marine diatom)): 6,745 mg/l Exposure time: 72 h Method: ISO 10253 |
| Toxicity to microorganisms | : | IC50 : > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

Pentane-2,4-dione:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 104 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 25.9 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 83.22 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 3.2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC10 : 13.2 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
- Toxicity to fish (Chronic toxicity) : NOEC: 10 mg/l
Exposure time: 34 d
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 18 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Methyl salicylate:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 10 - 100 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 1.6 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Desmodesmus subspicatus (green algae)): 0.79 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC10 (Pseudomonas putida): 140 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

Exposure time: 16 h

Cinnamaldehyde:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 4.15 mg/l
Exposure time: 96 h
Method: Directive 67/548/EEC, Annex V, C.1.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.21 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Chlorella vulgaris (Fresh water algae)): 16.09 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50 : 71 mg/l
Exposure time: 3 h
Method: ISO 8192

12.2 Persistence and degradability

Components:

Ethanol:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 20 d

1-Methoxy-2-propanol:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 96 %
Exposure time: 28 d
Method: OECD Test Guideline 301E

Pentane-2,4-dione:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 83 - 100 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Methyl salicylate:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 98.4 %
Exposure time: 28 d

Cinnamaldehyde:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 28 d

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

Method: OECD Test Guideline 301B

Butane:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 385.5 h
Remarks: Based on data from similar materials

12.3 Bioaccumulative potential

Components:

Ethanol:

Partition coefficient: n-octanol/water : log Pow: -0.35

1-Methoxy-2-propanol:

Partition coefficient: n-octanol/water : log Pow: < 1

Pentane-2,4-dione:

Partition coefficient: n-octanol/water : log Pow: 0.68

Methyl salicylate:

Partition coefficient: n-octanol/water : log Pow: 2.55

Cinnamaldehyde:

Partition coefficient: n-octanol/water : log Pow: 2.107

Butane:

Partition coefficient: n-octanol/water : log Pow: 2.31

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product. Please ensure aerosol cans are sprayed completely empty (including propellant)
- Waste Code : The following Waste Codes are only suggestions:
- used product
16 05 04, gases in pressure containers (including halons) containing hazardous substances
 - unused product
16 05 04, gases in pressure containers (including halons) containing hazardous substances
 - uncleaned packagings
15 01 10, packaging containing residues of or contaminated by hazardous substances
-

SECTION 14: Transport information

14.1 UN number

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

| | | |
|-------------|---|---------|
| ADN | : | UN 1950 |
| ADR | : | UN 1950 |
| RID | : | UN 1950 |
| IMDG | : | UN 1950 |
| IATA | : | UN 1950 |

14.2 UN proper shipping name

| | | |
|-------------|---|---------------------|
| ADN | : | AEROSOLS |
| ADR | : | AEROSOLS |
| RID | : | AEROSOLS |
| IMDG | : | AEROSOLS |
| IATA | : | Aerosols, flammable |

14.3 Transport hazard class(es)

| | | |
|-------------|---|-----|
| ADN | : | 2 |
| ADR | : | 2 |
| RID | : | 2 |
| IMDG | : | 2.1 |
| IATA | : | 2.1 |

14.4 Packing group

| | | |
|---------------------|---|----------------------------|
| ADN | | |
| Packing group | : | Not assigned by regulation |
| Classification Code | : | 5F |
| Labels | : | 2.1 |

| | | |
|-------------------------|---|----------------------------|
| ADR | | |
| Packing group | : | Not assigned by regulation |
| Classification Code | : | 5F |
| Labels | : | 2.1 |
| Tunnel restriction code | : | (D) |

| | | |
|------------------------------|---|----------------------------|
| RID | | |
| Packing group | : | Not assigned by regulation |
| Classification Code | : | 5F |
| Hazard Identification Number | : | 23 |
| Labels | : | 2.1 |

| | | |
|---------------|---|----------------------------|
| IMDG | | |
| Packing group | : | Not assigned by regulation |
| Labels | : | 2.1 |
| EmS Code | : | F-D, S-U |

| | | |
|--------------------------------------|---|------|
| IATA (Cargo) | | |
| Packing instruction (cargo aircraft) | : | 203 |
| Packing instruction (LQ) | : | Y203 |

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

Packing group : Not assigned by regulation
Labels : Flammable Gas

IATA (Passenger)

Packing instruction (passenger aircraft) : 203
Packing instruction (LQ) : Y203
Packing group : Not assigned by regulation
Labels : Flammable Gas

14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Not applicable

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

GB Export and import of hazardous chemicals - Prior : Not applicable

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations 2015 (COMAH)

| | | Quantity 1 | Quantity 2 |
|-----|--------------------|------------|------------|
| P3a | FLAMMABLE AEROSOLS | 150 t | 500 t |

| | | | |
|----|---|------|-------|
| 18 | Liquefied flammable gases (including LPG) and natural gas | 50 t | 200 t |
|----|---|------|-------|

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 70.1 %

Regulation (EC) No. 648/2004, as amended : 30 % and more: Aliphatic hydrocarbons
less than 5 %: Non-ionic surfactants
Other constituents: Perfumes
Allergens:
CINNAMAL

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H220 : Extremely flammable gas.
H225 : Highly flammable liquid and vapour.
H226 : Flammable liquid and vapour.
H280 : Contains gas under pressure; may explode if heated.
H302 : Harmful if swallowed.
H311 : Toxic in contact with skin.
H312 : Harmful in contact with skin.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H331 : Toxic if inhaled.
H336 : May cause drowsiness or dizziness.
H361d : Suspected of damaging the unborn child.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

| | | |
|-------------------|---|--|
| Flam. Gas | : | Flammable gases |
| Flam. Liq. | : | Flammable liquids |
| Press. Gas | : | Gases under pressure |
| Repr. | : | Reproductive toxicity |
| Skin Irrit. | : | Skin irritation |
| Skin Sens. | : | Skin sensitisation |
| STOT SE | : | Specific target organ toxicity - single exposure |
| 2000/39/EC | : | Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values |
| GB EH40 | : | UK. EH40 WEL - Workplace Exposure Limits |
| 2000/39/EC / TWA | : | Limit Value - eight hours |
| 2000/39/EC / STEL | : | Short term exposure limit |
| GB EH40 / TWA | : | Long-term exposure limit (8-hour TWA reference period) |
| GB EH40 / STEL | : | Short-term exposure limit (15-minute reference period) |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Injector X

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 24.11.2022 |
| 7.1 | 09.01.2023 | 10073496-00005 | Date of first issue: 22.10.2015 |

Classification of the mixture:

| | |
|--------------|------------|
| Aerosol 1 | H222, H229 |
| Eye Irrit. 2 | H319 |
| Skin Sens. 1 | H317 |

Classification procedure:

| |
|-------------------------------------|
| Based on product data or assessment |
| Calculation method |
| Calculation method |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN