

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Rapid Windscreen Cleaner

Product code : 0892333 702 25

#### Manufacturer or supplier's details

Company : Wurth Lanka (PVT) LTD

Address : 375/B, High Level Road  
Makumbura, Pannipitya, Sri Lanka

Telephone : 0094-112894930

Emergency telephone number : 0094-777328880

E-mail address : prodsafe@wuerth.com

Telefax : 0094-112894955

#### Recommended use of the chemical and restrictions on use

Recommended use : Cleaning agent  
Detergent

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION


#### GHS Classification

Skin corrosion/irritation : Category 3

Serious eye damage/eye irritation : Category 2A

Short-term (acute) aquatic hazard : Category 2

#### GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : H316 Causes mild skin irritation.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

H319 Causes serious eye irritation.  
H401 Toxic to aquatic life.

Precautionary statements :

**Prevention:**

P264+P265 Wash hands thoroughly after handling. Do not touch eyes.

P273 Avoid release to the environment.

P280 Wear eye protection/ face protection.

**Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P317 If skin irritation occurs: Get medical help.

P337 + P317 If eye irritation persists: Get medical help.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Ethanol	64-17-5	>= 1 - < 5
Sodium poly(oxyethylene) lauryl ether sulfate	9004-82-4	>= 1 - < 2.5
Sodium bis(2-ethylhexyl)sulfosuccinate	577-11-7	>= 1 - < 2.5
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8	>= 1 - < 2.5
Bis (2-ethylhexyl) maleate	142-16-5	>= 0.1 - < 0.25
Pyridine-2-thiol 1-oxide, sodium salt	3811-73-2	>= 0.025 - < 0.1

### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

- Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes mild skin irritation.  
Causes serious eye irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
- 

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Sulphur oxides  
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
-

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

### 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Avoid inhalation of vapour or mist.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents
- Recommended storage temperature :  $\geq 5$  °C
- 

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	STEL	1,000 ppm	ACGIH

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Remarks : not required

Eye protection : Wear the following personal protective equipment:  
Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : orange

Odour : No data available

Odour Threshold : No data available

pH : 7.3  
Concentration: 1,000 g/l 100 %

Melting point/freezing point : No data available

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

Initial boiling point and boiling range : 100 °C

Flash point : boils before flash

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.01 g/cm<sup>3</sup> (20 °C)

Solubility(ies)  
Water solubility : completely soluble

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : Not applicable

---

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

Conditions to avoid : None known.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### **Ethanol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

##### **Sodium poly(oxyethylene) lauryl ether sulfate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

##### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Acute oral toxicity : LD50 (Rat): 3,080 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

##### **Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:**

Acute oral toxicity : LD50 (Rat): > 500 - < 2,000 mg/kg  
Method: Regulation (EC) No. 440/2008, Annex, B.1 bis

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

### **Bis (2-ethylhexyl) maleate:**

Acute oral toxicity : LD50 (Rat): >= 2,000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 14,000 mg/kg

### **Pyridine-2-thiol 1-oxide, sodium salt:**

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg  
Method: Expert judgement

Acute inhalation toxicity : LC50 (Rat, female): > 0.5 - 1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): 790 mg/kg

### **Skin corrosion/irritation**

Causes mild skin irritation.

### **Components:**

#### **Ethanol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Sodium poly(oxyethylene) lauryl ether sulfate:**

Species : Rabbit  
Result : Skin irritation

#### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

#### **Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:**

Species : Rabbit  
Result : Skin irritation  
Remarks : Based on data from similar materials

#### **Bis (2-ethylhexyl) maleate:**

Species : Rabbit



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

Method : OECD Test Guideline 404  
Result : Mild skin irritation

### **Pyridine-2-thiol 1-oxide, sodium salt:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### **Components:**

#### **Ethanol:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

#### **Sodium poly(oxyethylene) lauryl ether sulfate:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Remarks : Based on data from similar materials

#### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

#### **Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye  
Remarks : Based on data from similar materials

#### **Bis (2-ethylhexyl) maleate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

#### **Pyridine-2-thiol 1-oxide, sodium salt:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

Result : Toxic by eye contact.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Ethanol:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Result : negative

##### Sodium poly(oxyethylene) lauryl ether sulfate:

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

##### Sodium bis(2-ethylhexyl)sulfosuccinate:

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Skin contact  
Species : Humans  
Result : negative

##### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

##### Bis (2-ethylhexyl) maleate:

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

##### Pyridine-2-thiol 1-oxide, sodium salt:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 406  
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Ethanol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Ingestion  
Result: equivocal

#### Sodium poly(oxyethylene) lauryl ether sulfate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

#### Sodium bis(2-ethylhexyl)sulfosuccinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: equivocal

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

#### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Rat

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### **Bis (2-ethylhexyl) maleate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

### **Pyridine-2-thiol 1-oxide, sodium salt:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Sodium poly(oxyethylene) lauryl ether sulfate:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

### **Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

### **Pyridine-2-thiol 1-oxide, sodium salt:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 104 weeks  
Result : negative

Species : Mouse  
Application Route : Skin contact  
Exposure time : 80 weeks  
Result : negative

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **Ethanol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

#### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **Bis (2-ethylhexyl) maleate:**

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

### **Pyridine-2-thiol 1-oxide, sodium salt:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Skin contact  
Result: negative

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

Not classified based on available information.

### **Components:**

#### **Bis (2-ethylhexyl) maleate:**

Exposure routes : Ingestion  
Target Organs : Kidney  
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

#### **Pyridine-2-thiol 1-oxide, sodium salt:**

Exposure routes : Ingestion  
Target Organs : Nervous system  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Exposure routes : Skin contact  
Target Organs : Nervous system

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

Assessment : Shown to produce significant health effects in animals at concentrations of 20 mg/kg bw or less.

Exposure routes : inhalation (dust/mist/fume)

Target Organs : Nervous system

Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.

### Repeated dose toxicity

#### Components:

##### **Ethanol:**

Species : Rat  
NOAEL : 1,280 mg/kg  
LOAEL : 3,156 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

##### **Sodium poly(oxyethylene) lauryl ether sulfate:**

Species : Rat  
NOAEL : 225 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

##### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species : Rat  
NOAEL : 750 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

##### **Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:**

Species : Mouse  
NOAEL : > 100 mg/kg  
Application Route : Skin contact  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

Species : Rat  
NOAEL : > 100 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

##### **Bis (2-ethylhexyl) maleate:**

Species : Rat  
LOAEL : 30 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

### Pyridine-2-thiol 1-oxide, sodium salt:

Species : Rat  
NOAEL : 0.5 mg/kg  
LOAEL : 2 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

Species : Rat  
NOAEL : 0.0011 mg/l  
LOAEL : 0.0081 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 90 Days

Species : Rat  
NOAEL : 5 mg/kg  
LOAEL : 15 mg/kg  
Application Route : Skin contact  
Exposure time : 13 Weeks

### Aspiration toxicity

Not classified based on available information.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Ethanol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Ceriodaphnia (water flea)): > 1,000 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l  
plants Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): 6,500 mg/l  
Exposure time: 16 h

Toxicity to daphnia and other : NOEC: 9.6 mg/l  
aquatic invertebrates (Chronic toxicity) Exposure time: 9 d  
Species: Daphnia magna (Water flea)

#### **Sodium poly(oxyethylene) lauryl ether sulfate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 13 mg/l  
Exposure time: 96 h

---



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 3.12 mg/l  
Exposure time: 48 h

Toxicity to fish (Chronic toxicity) : NOEC: 1 mg/l  
Exposure time: 45 d  
Species: Pimephales promelas (fathead minnow)  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.27 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Remarks: Based on data from similar materials

### Sodium bis(2-ethylhexyl)sulfosuccinate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 49 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.6 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 ( Desmodesmus subspicatus (green algae)): 82.5 mg/l  
Exposure time: 72 h  
  
EC10 ( Desmodesmus subspicatus (green algae)): 22 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): 164 mg/l  
Exposure time: 16 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 9 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.4 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 ( Desmodesmus subspicatus (green algae)): > 20 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.

EC10 ( Desmodesmus subspicatus (green algae)): 5.4 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

- Toxicity to microorganisms : EC50: > 100 mg/l  
Exposure time: 3 h  
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC: > 0.1 - 1 mg/l  
Exposure time: 35 d  
Species: Pimephales promelas (fathead minnow)  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.1 - 1 mg/l  
Exposure time: 7 d  
Species: Ceriodaphnia dubia (water flea)  
Remarks: Based on data from similar materials

### **Bis (2-ethylhexyl) maleate:**

- Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: Directive 67/548/EEC, Annex V, C.1.
- Toxicity to algae/aquatic plants : EC50 ( Pseudokirchneriella subcapitata (green algae)): > 0.619 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC ( Pseudokirchneriella subcapitata (green algae)): 0.052 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC10 (Pseudomonas putida): > 300 mg/l  
Exposure time: 30 min  
Method: DIN 38 412 Part 8
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)
- M-Factor (Chronic aquatic toxicity) : 1

### **Pyridine-2-thiol 1-oxide, sodium salt:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7.67 µg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.15 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 ( Desmodesmus subspicatus (green algae)): 0.22 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

NOEC ( Desmodesmus subspicatus (green algae)): 0.033 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

Toxicity to microorganisms : EC50 (activated sludge): 1.81 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### **Ethanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 84 %  
Exposure time: 20 d

##### **Sodium poly(oxyethylene) lauryl ether sulfate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 81 %  
Exposure time: 26 d

##### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 91.2 %  
Exposure time: 28 d

##### **Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 90 - 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

##### **Bis (2-ethylhexyl) maleate:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 60 - 70 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

##### **Pyridine-2-thiol 1-oxide, sodium salt:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 79 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

### Bioaccumulative potential

#### Components:

##### Ethanol:

Partition coefficient: n-octanol/water : log Pow: -0.35

##### Sodium bis(2-ethylhexyl)sulfosuccinate:

Partition coefficient: n-octanol/water : log Pow: 1.998  
Remarks: Calculation

##### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Partition coefficient: n-octanol/water : log Pow: 0.78

##### Bis (2-ethylhexyl) maleate:

Partition coefficient: n-octanol/water : log Pow: 7.24

##### Pyridine-2-thiol 1-oxide, sodium salt:

Partition coefficient: n-octanol/water : log Pow: -2.38  
Method: OECD Test Guideline 107

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

---

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version 11.2      Revision Date: 11/02/2023      SDS Number: 10664704-00016      Date of last issue: 07/26/2023  
Date of first issue: 06/23/2014

---

### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

Not applicable

---

## 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

---

## 16. OTHER INFORMATION

Revision Date : 11/02/2023

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / STEL : Short-term exposure limit

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Rapid Windscreen Cleaner

Version	Revision Date:	SDS Number:	Date of last issue: 07/26/2023
11.2	11/02/2023	10664704-00016	Date of first issue: 06/23/2014

---

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

LK / EN