

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version	Revision Date:	SDS Number:	Date of last issue: 16.04.2024
20.1	20.06.2024	10664631-00020	Date of first issue: 19.04.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : RAPID WINDSCREEN CLEANER - 32 ML

Product code : 0892333

Unique Formula Identifier (UFI) : 6CK4-C059-100H-KGM7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Cleaning agent, Detergent
Professional use product

Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : Adolf Wuerth GmbH & Co. KG
Reinhold-Würth-Str. 12-17
74653 Künzelsau

Telephone : +49 794015 0

Telefax : +49 794015 10 00

E-mail address of person responsible for the SDS : isi@wuerth.com

1.4 Emergency telephone number

+49 (0)6132 – 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)
Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)


SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1 Revision Date: 20.06.2024 SDS Number: 10664631-00020 Date of last issue: 16.04.2024
Date of first issue: 19.04.2013

Hazard pictograms : 

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear eye protection/ face protection.
Response:
P337 + P313 If eye irritation persists: Get medical advice/
attention.

Additional Labelling

EUH208 Contains 1,2-Benzisothiazol-3(2H)-one. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319 <hr/> specific concentration limit Eye Irrit. 2; H319 >= 50 %	>= 1 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1 Revision Date: 20.06.2024 SDS Number: 10664631-00020 Date of last issue: 16.04.2024
Date of first issue: 19.04.2013

Sodium poly(oxyethylene) lauryl ether sulfate	9004-82-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 <hr/> specific concentration limit Eye Dam. 1; H318 > 10 % Eye Irrit. 2; H319 > 5 - < 10 %	>= 1 - < 2,5
Sodium bis(2-ethylhexyl)sulfosuccinate	577-11-7 209-406-4 01-2119491296-29	Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 1 - < 3
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8 287-809-4 01-2119489463-28	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 <hr/> Acute toxicity estimate Acute oral toxicity: 500,05 mg/kg	>= 1 - < 2,5
Bis (2-ethylhexyl) maleate	142-16-5 205-524-5 01-2119524002-60	STOT RE 2; H373 (Kidney) Aquatic Chronic 1; H410 <hr/> M-Factor (Chronic aquatic toxicity): 1	>= 0,1 - < 0,25
Pyridine-2-thiol 1-oxide, sodium salt	3811-73-2 223-296-5 613-344-00-7 01-2119493385-28	Acute Tox. 4; H302 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT RE 1; H372 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 2; H411 EUH070 <hr/> M-Factor (Acute aquatic toxicity): 100	>= 0,025 - < 0,1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1 Revision Date: 20.06.2024 SDS Number: 10664631-00020 Date of last issue: 16.04.2024
Date of first issue: 19.04.2013

		Acute toxicity estimate Acute oral toxicity: 500 mg/kg Acute inhalation toxicity (dust/mist): 0,5 mg/l Acute dermal toxicity: 790 mg/kg	
1,2-Benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity estimate Acute oral toxicity: 454 mg/kg Acute inhalation toxicity (dust/mist): 0,21 mg/l	>= 0,0025 - < 0,025

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection,

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1	Revision Date: 20.06.2024	SDS Number: 10664631-00020	Date of last issue: 16.04.2024 Date of first issue: 19.04.2013
-----------------	------------------------------	-------------------------------	---

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water
for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Sulphur oxides
Metal oxides

5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version	Revision Date:	SDS Number:	Date of last issue: 16.04.2024
20.1	20.06.2024	10664631-00020	Date of first issue: 19.04.2013

for firefighters Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1 Revision Date: 20.06.2024 SDS Number: 10664631-00020 Date of last issue: 16.04.2024
Date of first issue: 19.04.2013

- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Avoid inhalation of vapour or mist.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.
- Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Gases
- Storage class (TRGS 510) : 10
- Recommended storage temperature : ≥ 5 °C

7.3 Specific end use(s)

- Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethanol	64-17-5	AGW	200 ppm 380 mg/m ³	DE TRGS 900
			Peak-limit: excursion factor (category): 4;(II)	
			Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child	
		MAK	200 ppm 380 mg/m ³	DE DFG MAK
			Peak-limit: excursion factor (category): 4; II	
			Further information: Substances that cause cancer in humans or animals or	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1 Revision Date: 20.06.2024 SDS Number: 10664631-00020 Date of last issue: 16.04.2024
Date of first issue: 19.04.2013

	that are considered to be carcinogenic for humans and for which a MAK value can be derived, Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed, Germ cell mutagens or suspected substances (according to the definition of Category 3 A and 3B), the potency of which is considered to be so low that, provided the MAK and BAT values are observed, their contribution to genetic risk for man is considered to be very slight			
Pyridine-2-thiol 1-oxide, sodium salt	3811-73-2	AGW (Inhalable fraction)	0,2 mg/m3	DE TRGS 900
	Peak-limit: excursion factor (category): 2;(II)			
	Further information: Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		MAK (inhalable fraction)	0,2 mg/m3	DE DFG MAK
	Peak-limit: excursion factor (category): 2; II			
	Further information: Danger of absorption through the skin, Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Ethanol	Workers	Inhalation	Long-term systemic effects	380 mg/m3
	Workers	Skin contact	Long-term systemic effects	267 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	114 mg/m3
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Workers	Inhalation	Long-term systemic effects	285 mg/m3
	Workers	Skin contact	Long-term systemic effects	4060 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	85 mg/m3
	Consumers	Skin contact	Long-term systemic effects	2440 mg/kg bw/day
Sodium bis(2-ethylhexyl)sulfosuccinate	Workers	Inhalation	Long-term systemic effects	24 mg/kg bw/day
	Workers	Skin contact	Long-term systemic effects	1416,82 mg/m3
	Workers	Skin contact	Long-term systemic effects	200,89 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	419,25 mg/m3
Bis (2-ethylhexyl)	Consumers	Skin contact	Long-term systemic effects	120,54 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	13,39 mg/kg bw/day
	Workers	Skin contact	Long-term systemic	0,42 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1 Revision Date: 20.06.2024 SDS Number: 10664631-00020 Date of last issue: 16.04.2024
Date of first issue: 19.04.2013

maleate			effects	bw/day
	Workers	Inhalation	Long-term systemic effects	186,11 mg/m3
	Workers	Skin contact	Long-term local effects	3,91 mg/cm2
	Workers	Inhalation	Long-term local effects	1,95 mg/m3
1,2-Benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,966 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0,345 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value	
Ethanol	Fresh water	0,96 mg/l	
	Freshwater - intermittent	2,75 mg/l	
	Marine water	0,79 mg/l	
	Sewage treatment plant	580 mg/l	
	Fresh water sediment	3,6 mg/kg dry weight (d.w.)	
	Marine sediment	2,9 mg/kg dry weight (d.w.)	
	Soil	0,63 mg/kg dry weight (d.w.)	
	Oral (Secondary Poisoning)	380 mg/kg food	
	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Fresh water	0,131 mg/l
Freshwater - intermittent		0,036 mg/l	
Marine water		0,013 mg/l	
Sewage treatment plant		1,35 mg/l	
Fresh water sediment		4,61 mg/kg dry weight (d.w.)	
Marine sediment		0,461 mg/kg dry weight (d.w.)	
Soil		0,846 mg/kg dry weight (d.w.)	
Sodium bis(2-ethylhexyl)sulfosuccinate		Fresh water	0,18 mg/l
		Intermittent use/release	0,152 mg/l
	Marine water	0,018 mg/l	
	Sewage treatment plant	12,2 mg/l	
	Fresh water sediment	17,789 mg/kg dry weight (d.w.)	
	Marine sediment	1,779 mg/kg dry weight (d.w.)	
	Soil	1,04 mg/kg dry weight (d.w.)	
	Bis (2-ethylhexyl) maleate	Fresh water	0,001 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1 Revision Date: 20.06.2024 SDS Number: 10664631-00020 Date of last issue: 16.04.2024
Date of first issue: 19.04.2013

	Marine water	0,000104 mg/l
	Intermittent use/release	0,006 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	15,95 mg/kg dry weight (d.w.)
	Marine sediment	1,595 mg/kg dry weight (d.w.)
	Soil	3,19 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	20 mg/kg food
1,2-Benzisothiazol-3(2H)-one	Fresh water	11 µg/l
	Intermittent use/release	0,403 µg/l
	Marine water	1,1 µg/l
	Intermittent use/release	0,0403 µg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/kg dry weight (d.w.)
	Marine sediment	0,00499 mg/kg dry weight (d.w.)
	Soil	3 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:
Safety goggles
Equipment should conform to DIN EN 166

Hand protection

Remarks : not required

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Equipment should conform to DIN EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1	Revision Date: 20.06.2024	SDS Number: 10664631-00020	Date of last issue: 16.04.2024 Date of first issue: 19.04.2013
-----------------	------------------------------	-------------------------------	---

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	orange
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	100 °C
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	boils before flash
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	7,3 Concentration: 1.000 g/l 100 %
Viscosity Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	completely soluble

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version	Revision Date:	SDS Number:	Date of last issue: 16.04.2024
20.1	20.06.2024	10664631-00020	Date of first issue: 19.04.2013

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : No data available

Density : 1,01 g/cm³ (20 °C)

Relative vapour density : No data available

Particle characteristics
Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version	Revision Date:	SDS Number:	Date of last issue: 16.04.2024
20.1	20.06.2024	10664631-00020	Date of first issue: 19.04.2013

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Components:

Ethanol:

Acute oral toxicity : LD50 (Rat): 10.470 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 116,9 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 15.800 mg/kg

Sodium poly(oxyethylene) lauryl ether sulfate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Sodium bis(2-ethylhexyl)sulfosuccinate:

Acute oral toxicity : LD50 (Rat): 3.080 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Acute oral toxicity : LD50 (Rat): > 500 - < 2.000 mg/kg
Method: Regulation (EC) No. 440/2008, Annex, B.1 bis

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1 Revision Date: 20.06.2024 SDS Number: 10664631-00020 Date of last issue: 16.04.2024
Date of first issue: 19.04.2013

Remarks: Based on data from similar materials

Bis (2-ethylhexyl) maleate:

Acute oral toxicity : LD50 (Rat): ≥ 2.000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 14.000 mg/kg

Pyridine-2-thiol 1-oxide, sodium salt:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg
Method: Expert judgement

Acute inhalation toxicity : LC50 (Rat, female): $> 0,5 - 1$ mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute toxicity estimate: 0,5 mg/l
Test atmosphere: dust/mist
Method: Expert judgement
Remarks: Based on national or regional regulation.

Acute dermal toxicity : LD50 (Rabbit): 790 mg/kg

1,2-Benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat): 454 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 0,21 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethanol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1 Revision Date: 20.06.2024 SDS Number: 10664631-00020 Date of last issue: 16.04.2024
Date of first issue: 19.04.2013

Sodium poly(oxyethylene) lauryl ether sulfate:

Species : Rabbit
Result : Skin irritation

Sodium bis(2-ethylhexyl)sulfosuccinate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Species : Rabbit
Result : Skin irritation
Remarks : Based on data from similar materials

Bis (2-ethylhexyl) maleate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Mild skin irritation

Pyridine-2-thiol 1-oxide, sodium salt:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

1,2-Benzisothiazol-3(2H)-one:

Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Ethanol:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days

Sodium poly(oxyethylene) lauryl ether sulfate:

Species : Rabbit
Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

Sodium bis(2-ethylhexyl)sulfosuccinate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1 Revision Date: 20.06.2024 SDS Number: 10664631-00020 Date of last issue: 16.04.2024
Date of first issue: 19.04.2013

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

Bis (2-ethylhexyl) maleate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

Pyridine-2-thiol 1-oxide, sodium salt:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days

Result : Toxic by eye contact.

1,2-Benzisothiazol-3(2H)-one:

Species : Rabbit
Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Ethanol:

Test Type : Mouse ear swelling test (MEST)
Exposure routes : Skin contact
Species : Mouse
Result : negative

Sodium poly(oxyethylene) lauryl ether sulfate:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

Sodium bis(2-ethylhexyl)sulfosuccinate:

Test Type : Human repeat insult patch test (HRIPT)
Exposure routes : Skin contact

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1 Revision Date: 20.06.2024 SDS Number: 10664631-00020 Date of last issue: 16.04.2024
Date of first issue: 19.04.2013

Species : Humans
Result : negative

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Bis (2-ethylhexyl) maleate:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Pyridine-2-thiol 1-oxide, sodium salt:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 406
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

1,2-Benzisothiazol-3(2H)-one:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version	Revision Date:	SDS Number:	Date of last issue: 16.04.2024
20.1	20.06.2024	10664631-00020	Date of first issue: 19.04.2013

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: Ingestion
Result: negative

Sodium poly(oxyethylene) lauryl ether sulfate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Sodium bis(2-ethylhexyl)sulfosuccinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: equivocal

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Bis (2-ethylhexyl) maleate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1	Revision Date: 20.06.2024	SDS Number: 10664631-00020	Date of last issue: 16.04.2024 Date of first issue: 19.04.2013
-----------------	------------------------------	-------------------------------	---

Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Pyridine-2-thiol 1-oxide, sodium salt:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

1,2-Benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 486

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version	Revision Date:	SDS Number:	Date of last issue: 16.04.2024
20.1	20.06.2024	10664631-00020	Date of first issue: 19.04.2013

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Sodium poly(oxyethylene) lauryl ether sulfate:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative
Remarks	:	Based on data from similar materials

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative
Remarks	:	Based on data from similar materials

Pyridine-2-thiol 1-oxide, sodium salt:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	104 weeks
Result	:	negative

Species	:	Mouse
Application Route	:	Skin contact
Exposure time	:	80 weeks
Result	:	negative

Reproductive toxicity

Not classified based on available information.

Components:

Ethanol:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study
		Species: Mouse
		Application Route: Ingestion
		Result: negative

Sodium bis(2-ethylhexyl)sulfosuccinate:

Effects on fertility	:	Test Type: Three-generation reproduction toxicity study
		Species: Rat
		Application Route: Ingestion
		Result: negative

Effects on foetal develop-	:	Test Type: Embryo-foetal development
----------------------------	---	--------------------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1	Revision Date: 20.06.2024	SDS Number: 10664631-00020	Date of last issue: 16.04.2024 Date of first issue: 19.04.2013
-----------------	------------------------------	-------------------------------	---

ment
Species: Rat
Application Route: Ingestion
Result: negative

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

Bis (2-ethylhexyl) maleate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Pyridine-2-thiol 1-oxide, sodium salt:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Skin contact
Result: negative

1,2-Benzisothiazol-3(2H)-one:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Method: OPPTS 870.3800
Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1 Revision Date: 20.06.2024 SDS Number: 10664631-00020 Date of last issue: 16.04.2024
Date of first issue: 19.04.2013

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Bis (2-ethylhexyl) maleate:

Exposure routes : Ingestion
Target Organs : Kidney
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Pyridine-2-thiol 1-oxide, sodium salt:

Exposure routes : Ingestion
Target Organs : Nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Exposure routes : Skin contact
Target Organs : Nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of 20 mg/kg bw or less.

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.

1,2-Benzisothiazol-3(2H)-one:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

Ethanol:

Species : Rat
NOAEL : 1.730 mg/kg
LOAEL : 3.200 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Sodium poly(oxyethylene) lauryl ether sulfate:

Species : Rat
NOAEL : 225 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1 Revision Date: 20.06.2024 SDS Number: 10664631-00020 Date of last issue: 16.04.2024
Date of first issue: 19.04.2013

Remarks : Based on data from similar materials

Sodium bis(2-ethylhexyl)sulfosuccinate:

Species : Rat
NOAEL : 750 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Species : Mouse
NOAEL : > 100 mg/kg
Application Route : Skin contact
Exposure time : 90 Days
Remarks : Based on data from similar materials

Species : Rat
NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Bis (2-ethylhexyl) maleate:

Species : Rat
LOAEL : 30 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 408

Pyridine-2-thiol 1-oxide, sodium salt:

Species : Rat
NOAEL : 0,5 mg/kg
LOAEL : 2 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Species : Rat
NOAEL : 0,0011 mg/l
LOAEL : 0,0081 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 90 Days

Species : Rat
NOAEL : 5 mg/kg
LOAEL : 15 mg/kg
Application Route : Skin contact
Exposure time : 13 Weeks

1,2-Benzisothiazol-3(2H)-one:

Species : Dog

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version	Revision Date:	SDS Number:	Date of last issue: 16.04.2024
20.1	20.06.2024	10664631-00020	Date of first issue: 19.04.2013

NOAEL	:	5 mg/kg
LOAEL	:	20 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	Directive 67/548/EEC, Annex, B.27

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Ethanol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 14.200 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 5.012 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h EC10 (Chlorella vulgaris (Fresh water algae)): 11,5 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC50 (Protozoa): 5.800 mg/l Exposure time: 4 h
Toxicity to fish (Chronic toxicity)	:	NOEC: >= 79 mg/l Exposure time: 100 d Species: Oryzias latipes (Japanese medaka)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 9,6 mg/l Exposure time: 9 d Species: Daphnia magna (Water flea)

Sodium poly(oxyethylene) lauryl ether sulfate:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version	Revision Date:	SDS Number:	Date of last issue: 16.04.2024
20.1	20.06.2024	10664631-00020	Date of first issue: 19.04.2013

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 13 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 3,12 mg/l
Exposure time: 48 h

Toxicity to fish (Chronic toxicity) : NOEC: 1 mg/l
Exposure time: 45 d
Species: Pimephales promelas (fathead minnow)
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,27 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: Based on data from similar materials

Sodium bis(2-ethylhexyl)sulfosuccinate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 49 mg/l
Exposure time: 96 h
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6,6 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 82,5 mg/l
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 22 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): 164 mg/l
Exposure time: 16 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 9 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3,6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,4 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 20 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.

EC10 (Desmodesmus subspicatus (green algae)): 5,4 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1 Revision Date: 20.06.2024 SDS Number: 10664631-00020 Date of last issue: 16.04.2024
Date of first issue: 19.04.2013

Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.

Toxicity to microorganisms : EC50 : > 100 mg/l
Exposure time: 3 h
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l
Exposure time: 35 d
Species: Pimephales promelas (fathead minnow)
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l
Exposure time: 7 d
Species: Ceriodaphnia dubia (water flea)
Remarks: Based on data from similar materials

Bis (2-ethylhexyl) maleate:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Test substance: Water Accommodated Fraction
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0,619 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,052 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 300 mg/l
Exposure time: 30 min
Method: DIN 38 412 Part 8

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,10 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

Pyridine-2-thiol 1-oxide, sodium salt:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7,67 µg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,15 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1 Revision Date: 20.06.2024 SDS Number: 10664631-00020 Date of last issue: 16.04.2024
Date of first issue: 19.04.2013

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 0,22 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 0,033 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

Toxicity to microorganisms : EC50 (activated sludge): 1,81 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

1,2-Benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,74 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,24 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,1087 mg/l
Exposure time: 24 h

EC10 (Pseudokirchneriella subcapitata (green algae)): 0,0268 mg/l
Exposure time: 24 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : NOEC : 10,3 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0,28 mg/l
Exposure time: 33 d
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,91 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1 Revision Date: 20.06.2024 SDS Number: 10664631-00020 Date of last issue: 16.04.2024
Date of first issue: 19.04.2013

12.2 Persistence and degradability

Components:

Ethanol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 20 d

Sodium poly(oxyethylene) lauryl ether sulfate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 81 %
Exposure time: 26 d

Sodium bis(2-ethylhexyl)sulfosuccinate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 91,2 %
Exposure time: 28 d

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 90 - 100 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Bis (2-ethylhexyl) maleate:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 60 - 70 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Pyridine-2-thiol 1-oxide, sodium salt:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 79 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

Ethanol:

Partition coefficient: n-octanol/water : log Pow: -0,35

Sodium bis(2-ethylhexyl)sulfosuccinate:

Partition coefficient: n-octanol/water : log Pow: 1,998
Remarks: Calculation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version	Revision Date:	SDS Number:	Date of last issue: 16.04.2024
20.1	20.06.2024	10664631-00020	Date of first issue: 19.04.2013

Sulfuric acid, mono-C12-14-alkyl esters, sodium salts:

Partition coefficient: n-
octanol/water : log Pow: 0,78

Bis (2-ethylhexyl) maleate:

Partition coefficient: n-
octanol/water : log Pow: 7,24

Pyridine-2-thiol 1-oxide, sodium salt:

Partition coefficient: n-
octanol/water : log Pow: -2,38
Method: OECD Test Guideline 107

1,2-Benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 6,62

Partition coefficient: n-
octanol/water : log Pow: 0,7

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version	Revision Date:	SDS Number:	Date of last issue: 16.04.2024
20.1	20.06.2024	10664631-00020	Date of first issue: 19.04.2013

are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in
discussion with the waste disposal authorities.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Waste Code : The following Waste Codes are only suggestions:

used product
20 01 29, detergents containing hazardous substances

unused product
20 01 29, detergents containing hazardous substances

uncleaned packagings
15 01 10, packaging containing residues of or contaminated
by hazardous substances

Acc. Packaging Act properly emptied packaging:
Properly emptied, non-contaminated packaging of non-
hazardous products can be supplied to a system for the collection of sales packaging.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1	Revision Date: 20.06.2024	SDS Number: 10664631-00020	Date of last issue: 16.04.2024 Date of first issue: 19.04.2013
-----------------	------------------------------	-------------------------------	---

RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 75, 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version 20.1 Revision Date: 20.06.2024 SDS Number: 10664631-00020 Date of last issue: 16.04.2024
Date of first issue: 19.04.2013

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

Water hazard class (Germany) : WGK 1 slightly hazardous to water
Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1: Total dust:
Not applicable
5.2.2: Inorganic substances in powdered form:
Not applicable
5.2.4: Inorganic substances in gaseous form:
Not applicable
5.2.5: Organic Substances:
Not applicable
5.2.7.1.1: Carcinogenic substance:
Not applicable
5.2.7.1.1: Quartz fine dust PM4:
Not applicable
5.2.7.1.1: Formaldehyde:
Not applicable
5.2.7.1.1: fibres:
Not applicable
5.2.7.1.2: Germ cell mutagens:
Not applicable
5.2.7.1.3: Substances toxic to reproduction:
others: < 0,01 % 2-(4-tert-Butylbenzyl)propionaldehyde
5.2.7.2: Poorly degradable, easily enrichable and highly toxic organic substances:
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 1,92 %, 19 g/l
Remarks: VOC content excluding water

Regulation (EC) No. 648/2004, as amended : Preservation agents:
BENZISOTHIAZOLINONE
SODIUM PYRITHIONE
Other constituents: Perfumes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version	Revision Date:	SDS Number:	Date of last issue: 16.04.2024
20.1	20.06.2024	10664631-00020	Date of first issue: 19.04.2013

less than 5 %: Anionic surfactants
Allergens:
LIMONENE
AMYL CINNAMAL
LINALOOL
CITRONELLOL
HEXYL CINNAMAL

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H225 : Highly flammable liquid and vapour.
H302 : Harmful if swallowed.
H311 : Toxic in contact with skin.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H330 : Fatal if inhaled.
H372 : Causes damage to organs through prolonged or repeated exposure.
H373 : May cause damage to organs through prolonged or repeated exposure.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.
EUH070 : Toxic by eye contact.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation
STOT RE : Specific target organ toxicity - repeated exposure
DE DFG MAK : Germany. MAK BAT Annex IIa

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version	Revision Date:	SDS Number:	Date of last issue: 16.04.2024
20.1	20.06.2024	10664631-00020	Date of first issue: 19.04.2013

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.
DE DFG MAK / MAK : MAK value
DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Eye Irrit. 2 H319

Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



RAPID WINDSCREEN CLEANER - 32 ML

Version	Revision Date:	SDS Number:	Date of last issue: 16.04.2024
20.1	20.06.2024	10664631-00020	Date of first issue: 19.04.2013

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN