

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ANC-MORT-(WIT-PM200)-CART-300ML Comp A

Product code : 05918 242 300

Unique Formula Identifier (UFI) : 4EJG-504Q-700R-RPSS

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Adhesives
Professional use product

Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : WÜRTH IRELAND LTD.
Monaclinoe Ind. Est. Ballysimon
Limerick

Telephone : +353 61 430200

Telefax : +353 61 412428

E-mail address of person responsible for the SDS : prodsafe@wuerth.com

1.4 Emergency telephone number

Location Ireland:
(NPIC) +353 1 8092566

Location Northern Ireland:
(NPIS) 0344 892 0111

Reachable for both Locations:
(GBK) +49 (0)6132 84463

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version 12.0	Revision Date: 07.01.2025	SDS Number: 10680005-00016	Date of last issue: 27.06.2024 Date of first issue: 29.07.2014
-----------------	------------------------------	-------------------------------	---

SECTION 2: Hazards identification


2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P273 Avoid release to the environment. P280 Wear protective gloves. Response: P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Tetramethylene dimethacrylate
Methacrylic acid, monoester with propane-1,2-diol
Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version 12.0 Revision Date: 07.01.2025 SDS Number: 10680005-00016 Date of last issue: 27.06.2024
Date of first issue: 29.07.2014

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Tetramethylene dimethacrylate	2082-81-7 218-218-1 607-766-00-0 01-2119967415-30	Skin Sens. 1B; H317	>= 10 - < 20
Vinyltoluene	25013-15-4 246-562-2 01-2119622074-50	Flam. Liq. 3; H226 Acute Tox. 4; H302 Skin Irrit. 2; H315 STOT SE 3; H335 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 1 Acute toxicity esti- mate Acute oral toxicity: 500 mg/kg	>= 2.5 - < 10
Quartz (SiO ₂)	14808-60-7 238-878-4	STOT RE 1; H372 (Lungs)	>= 1 - < 10
Methacrylic acid, monoester with propane-1,2-diol	27813-02-1 248-666-3 01-2119490226-37	Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT SE 3; H335	>= 1 - < 10
1-Isopropyl-2,2- dimethyltrimethylene diisobutyrate	6846-50-0 229-934-9 01-2119451093-47	Repr. 2; H361d Aquatic Chronic 3; H412	>= 0.25 - < 1
Reaction mass of 2-[[2-(2- hydroxyethoxy)ethyl](4-	Not Assigned	Acute Tox. 4; H302 Skin Irrit. 2; H315	>= 0.25 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version 12.0 Revision Date: 07.01.2025 SDS Number: 10680005-00016 Date of last issue: 27.06.2024
Date of first issue: 29.07.2014

(4-methylphenyl)amino)ethanol and 2,2'-[(4-methylphenyl)imino]diethanol	01-2119979579-10	Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412	
		Acute toxicity estimate	
		Acute oral toxicity: 619 mg/kg	
1,1'-(p-tolylimino)dipropan-2-ol	38668-48-3 254-075-1 01-2119980937-17	Acute Tox. 2; H300 Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 0.1 - < 0.25
1,4-Naphthoquinone	130-15-4 204-977-6 01-2120760462-57	Acute Tox. 3; H301 Acute Tox. 2; H330 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.025 - < 0.1
		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	
		Acute toxicity estimate	
		Acute oral toxicity: 124 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

- Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

- Hazardous combustion products : Carbon oxides
Silicon oxides

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.
Avoid breathing dust, fume, gas, mist, vapours or spray.
Do not swallow.
Avoid contact with eyes.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version 12.0 Revision Date: 07.01.2025 SDS Number: 10680005-00016 Date of last issue: 27.06.2024
Date of first issue: 29.07.2014

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:
Strong oxidizing agents

Recommended storage temperature : 5 - 25 °C

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Vinyltoluene	25013-15-4	OELV - 15 min (STEL)	10 ppm 483 mg/m ³	IE OEL
		OELV - 8 hrs (TWA)	50 ppm 242 mg/m ³	IE OEL
Silicon, amorphous	112945-52-5	OELV - 8 hrs (TWA) (Respirable dust)	2.4 mg/m ³ (Silica)	IE OEL
		OELV - 8 hrs (TWA) (inhalable dust)	6 mg/m ³ (Silica)	IE OEL
Quartz (SiO ₂)	14808-60-7	TWA (Respirable dust)	0.1 mg/m ³	2004/37/EC
Further information: Carcinogens or mutagens				
		OELV - 8 hrs (TWA) (Respirable dust)	0.1 mg/m ³ (Silica)	IE OEL

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version 12.0 Revision Date: 07.01.2025 SDS Number: 10680005-00016 Date of last issue: 27.06.2024
Date of first issue: 29.07.2014

Further information: Carcinogenic, see List of Carcinogenic Substances, Mixtures and Processes

This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Quartz (SiO₂)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Tetramethylene dimethacrylate	Workers	Inhalation	Long-term systemic effects	14.5 mg/m ³
	Workers	Skin contact	Long-term systemic effects	4.2 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	4.3 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	2.5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2.5 mg/kg bw/day
Methacrylic acid, monoester with propane-1,2-diol	Workers	Inhalation	Long-term systemic effects	14.7 mg/m ³
	Workers	Skin contact	Long-term systemic effects	4.2 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	4.35 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	2.5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2.5 mg/kg bw/day
1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate	Workers	Inhalation	Long-term systemic effects	17.62 mg/m ³
	Workers	Skin contact	Long-term systemic effects	5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	4.35 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	5 mg/kg bw/day
Reaction mass of 2-{{2-(2-hydroxyethoxy)ethyl}(4-methylphenyl)amino}ethanol and 2,2'-[(4-methylphenyl)imino]diethanol	Workers	Inhalation	Long-term systemic effects	9.8 mg/m ³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version 12.0 Revision Date: 07.01.2025 SDS Number: 10680005-00016 Date of last issue: 27.06.2024
Date of first issue: 29.07.2014

	Workers	Skin contact	Long-term systemic effects	1.4 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2.9 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0.83 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.83 mg/kg bw/day
1,1'-(p-tolylimino)dipropan-2-ol	Workers	Inhalation	Long-term systemic effects	2 mg/m3
	Workers	Skin contact	Long-term systemic effects	0.6 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0.4 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0.3 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.3 mg/kg bw/day
Vinyltoluene	Workers	Inhalation	Long-term systemic effects	5.82 mg/m3
	Workers	Skin contact	Long-term systemic effects	1.65 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1.03 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0.595 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.595 mg/kg bw/day
1,4-Naphthoquinone	Workers	Inhalation	Long-term systemic effects	0.033 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Tetramethylene dimethacrylate	Fresh water	0.087 mg/l
	Marine water	0.009 mg/l
	Intermittent use/release	0.098 mg/l
	Sewage treatment plant	20 mg/l
	Fresh water sediment	3.12 mg/kg
	Marine sediment	0.312 mg/kg
	Soil	0.573 mg/kg
Methacrylic acid, monoester with propane-1,2-diol	Fresh water	0.904 mg/l
	Freshwater - intermittent	0.972 mg/l
	Marine water	0.09 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	6.28 mg/kg dry weight (d.w.)
	Marine sediment	6.28 mg/kg dry weight (d.w.)
	Soil	0.727 mg/kg dry

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version 12.0 Revision Date: 07.01.2025 SDS Number: 10680005-00016 Date of last issue: 27.06.2024
Date of first issue: 29.07.2014

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate	Fresh water	weight (d.w.) 0.014 mg/l
	Marine water	0.001 mg/l
	Sewage treatment plant	3 mg/l
	Fresh water sediment	5.29 mg/kg dry weight (d.w.)
	Marine sediment	0.529 mg/kg dry weight (d.w.)
	Soil	1.05 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	83.3 mg/kg food
Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol	Fresh water	0.048 mg/l
	Freshwater - intermittent	0.48 mg/l
	Marine water	0.005 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	1.2 mg/kg dry weight (d.w.)
	Marine sediment	0.12 mg/kg dry weight (d.w.)
	Soil	0.21 mg/kg dry weight (d.w.)
1,1'-(p-tolylimino)dipropan-2-ol	Fresh water	0.017 mg/l
	Marine water	0.0017 mg/l
	Intermittent use/release	0.17 mg/l
	Sewage treatment plant	199.5 mg/l
	Fresh water sediment	0.0782 mg/kg
	Marine sediment	0.00782 mg/kg
	Soil	0.005 mg/kg
Vinyltoluene	Fresh water	0.319 µg/l
	Freshwater - intermittent	3.19 µg/l
	Marine water	0.0319 µg/l
	Marine water - intermittent	0.319 µg/l
	Sewage treatment plant	5.92 mg/l
	Fresh water sediment	0.032 mg/kg dry weight (d.w.)
	Marine sediment	0.0032 mg/kg dry weight (d.w.)
Soil	0.00621 mg/kg dry weight (d.w.)	
1,4-Naphthoquinone	Fresh water	26.1 mg/l
	Fresh water sediment	321 mg/kg dry weight (d.w.)
	Marine water	2.61 mg/l
	Marine sediment	32.1 mg/kg dry

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version 12.0 Revision Date: 07.01.2025 SDS Number: 10680005-00016 Date of last issue: 27.06.2024
Date of first issue: 29.07.2014

		weight (d.w.)
	Sewage treatment plant	0.172 mg/l
	Soil	49 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:
Safety glasses
Equipment should conform to I.S. EN 166

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : > 0.2 mm
Directive : Equipment should conform to I.S. EN 374

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Equipment should conform to I.S. EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : paste

Colour : beige

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version 12.0	Revision Date: 07.01.2025	SDS Number: 10680005-00016	Date of last issue: 27.06.2024 Date of first issue: 29.07.2014
-----------------	------------------------------	-------------------------------	---

Odour : characteristic

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit / Upper flammability limit : Not applicable

Lower explosion limit / Lower flammability limit : Not applicable

Flash point : Not applicable

Auto-ignition temperature : Not applicable

Decomposition temperature : No data available

pH : substance/mixture is non-soluble (in water)

Viscosity
Viscosity, kinematic : Not applicable

Solubility(ies)
Water solubility : insoluble

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version 12.0	Revision Date: 07.01.2025	SDS Number: 10680005-00016	Date of last issue: 27.06.2024 Date of first issue: 29.07.2014
-----------------	------------------------------	-------------------------------	---

Density : 1.72 g/cm³ (20 °C)

Relative vapour density : Not applicable

Particle characteristics
Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Skin contact
Ingestion
Eye contact

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Tetramethylene dimethacrylate:

Acute oral toxicity : LD50 (Rat): 10,066 mg/kg
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Remarks: Based on data from similar materials

Vinyltoluene:

Acute oral toxicity : LD50 (Mouse): 800 - 1,182 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5.02 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Quartz (SiO₂):

Acute oral toxicity : LD50 (Rat): > 22,500 mg/kg

Methacrylic acid, monoester with propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity : LD50 (Rabbit, male): > 5,000 mg/kg

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 425
Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

Acute oral toxicity : LD50 (Rat, male): 619 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

1,1'-(p-tolylimino)dipropan-2-ol:

Acute oral toxicity : LD50 (Rat): > 25 - 200 mg/kg
Method: OECD Test Guideline 423

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

1,4-Naphthoquinone:

Acute oral toxicity : LD50 (Rat): 124 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.046 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Skin corrosion/irritation

Not classified based on available information.

Components:

Tetramethylene dimethacrylate:

Species : Rabbit
Result : No skin irritation

Vinyltoluene:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 431

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439

Result : Skin irritation

Quartz (SiO₂):

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Methacrylic acid, monoester with propane-1,2-diol:

Species : Rabbit

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

Result : No skin irritation

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 431

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439

Result : Skin irritation

1,1'-(p-tolylimino)dipropan-2-ol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

1,4-Naphthoquinone:

Result : Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Tetramethylene dimethacrylate:

Species : Rabbit
Result : No eye irritation

Quartz (SiO₂):

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation
Remarks : Based on data from similar materials

Methacrylic acid, monoester with propane-1,2-diol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Species : Rabbit

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

Method : OECD Test Guideline 405
Result : No eye irritation

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

1,1'-(p-tolylimino)dipropan-2-ol:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 7 days

1,4-Naphthoquinone:

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Tetramethylene dimethacrylate:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

Vinyltoluene:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Methacrylic acid, monoester with propane-1,2-diol:

Exposure routes : Skin contact
Species : Humans
Result : positive

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

Assessment : Probability or evidence of skin sensitisation in humans

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Test Type : Human repeat insult patch test (HRIPT)
Exposure routes : Skin contact
Result : negative

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

1,1'-(p-tolylimino)dipropan-2-ol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

1,4-Naphthoquinone:

Assessment : Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Tetramethylene dimethacrylate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version 12.0	Revision Date: 07.01.2025	SDS Number: 10680005-00016	Date of last issue: 27.06.2024 Date of first issue: 29.07.2014
-----------------	------------------------------	-------------------------------	---

cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

Vinyltoluene:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: positive

Test Type: Chromosome aberration test in vitro
Result: negative

Methacrylic acid, monoester with propane-1,2-diol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: Directive 67/548/EEC, Annex, B.13/14
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[(4-methylphenyl)imino]diethanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: positive

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: In vivo mammalian alkaline comet assay
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 489
Result: negative

1,1'-(p-tolylimino)dipropan-2-ol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Vinyltoluene:

Species : Rat
Application Route : inhalation (vapour)
Exposure time : 103 weeks
Result : negative

Methacrylic acid, monoester with propane-1,2-diol:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

Tetramethylene dimethacrylate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Vinyltoluene:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Methacrylic acid, monoester with propane-1,2-diol:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version 12.0	Revision Date: 07.01.2025	SDS Number: 10680005-00016	Date of last issue: 27.06.2024 Date of first issue: 29.07.2014
-----------------	------------------------------	-------------------------------	---

Method: OECD Test Guideline 421
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

1,1'-(p-tolylimino)dipropan-2-ol:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Vinyltoluene:

Assessment : May cause respiratory irritation.

Methacrylic acid, monoester with propane-1,2-diol:

Assessment : May cause respiratory irritation.

1,4-Naphthoquinone:

Assessment : May cause respiratory irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

STOT - repeated exposure

Not classified based on available information.

Components:

Quartz (SiO₂):

Exposure routes	: inhalation (dust/mist/fume)
Target Organs	: Lungs
Assessment	: Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.

Repeated dose toxicity

Components:

Tetramethylene dimethacrylate:

Species	: Rat
NOAEL	: 300 mg/kg
Application Route	: Ingestion
Exposure time	: 33 Days
Method	: OECD Test Guideline 422

Quartz (SiO₂):

Species	: Humans
LOAEL	: 0.053 mg/m ³
Application Route	: Inhalation
Remarks	: This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Methacrylic acid, monoester with propane-1,2-diol:

Species	: Rat
NOAEL	: 300 mg/kg
Application Route	: Ingestion
Exposure time	: 54 Days
Method	: OECD Test Guideline 422

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Species	: Rat, male
NOAEL	: 150 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[(4-methylphenyl)imino]diethanol:

Species	: Rat, female
NOAEL	: 100 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

LOAEL : 300 mg/kg
Application Route : Ingestion
Exposure time : 28 Days
Method : OECD Test Guideline 407

Aspiration toxicity

Not classified based on available information.

Components:

Vinyltoluene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Tetramethylene dimethacrylate:

Toxicity to fish : EC50 (Leuciscus idus (Golden orfe)): 32.5 mg/l
Exposure time: 48 h
Method: DIN 38412
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 4.35 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

ErC50 (Desmodesmus subspicatus (green algae)): 9.79 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 7.51 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

Vinyltoluene:

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 9.3 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 0.319 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- EC10 (Desmodesmus subspicatus (green algae)): 0.25 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to microorganisms : NOEC (activated sludge): 170 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Quartz (SiO₂):

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 508 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 731 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Methacrylic acid, monoester with propane-1,2-diol:

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 493 mg/l
Exposure time: 48 h
Method: DIN 38412
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 143 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 97.2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOEC (Raphidocelis subcapitata (freshwater green alga)): >= 97.2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chron- : NOEC: 45.2 mg/l
Exposure time: 21 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

ic toxicity) Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1.55 mg/l
Exposure time: 96 h
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1.46 mg/l
aquatic invertebrates Exposure time: 48 h
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 7.49
plants mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

NOEC (Pseudokirchneriella subcapitata (green algae)): 3.56
mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other : NOEC: 0.7 mg/l
aquatic invertebrates (Chron- Exposure time: 21 d
ic toxicity) Species: Daphnia magna (Water flea)

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 48 mg/l
aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100
plants mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 100
mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

1,1'-(p-tolylimino)dipropan-2-ol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 17 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 28.8 mg/l
aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : NOEC (Desmodesmus subspicatus (green algae)): 57.8 mg/l
plants Exposure time: 72 h
Method: OECD Test Guideline 201

ErC50 (Desmodesmus subspicatus (green algae)): 245 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 : > 1,995 mg/l
Exposure time: 30 min

1,4-Naphthoquinone:

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 0.045 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 : 0.026 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : NOEC : 0.07 mg/l
plants Exposure time: 72 h

M-Factor (Acute aquatic tox- : 10
icity)

M-Factor (Chronic aquatic : 1
toxicity)

Ecotoxicology Assessment

Acute aquatic toxicity : M-factor: 10

Chronic aquatic toxicity : M-factor: 1

12.2 Persistence and degradability

Components:

Tetramethylene dimethacrylate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 28 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

Method: OECD Test Guideline 310

Vinyltoluene:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 36.7 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Methacrylic acid, monoester with propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 81 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Biodegradability : Result: rapidly biodegradable
Biodegradation: 70.73 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 1.5 %
Exposure time: 29 d
Method: OECD Test Guideline 301B

1,1'-(p-tolylimino)dipropan-2-ol:

Biodegradability : Result: Inherently biodegradable.
Biodegradation: 90.1 %
Exposure time: 60 d
Method: OECD Test Guideline 301B

1,4-Naphthoquinone:

Biodegradability : Biodegradation: 39 %
Exposure time: 5 d

12.3 Bioaccumulative potential

Components:

Tetramethylene dimethacrylate:

Partition coefficient: n- : log Pow: 3.1
octanol/water

Vinyltoluene:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 500
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3.44
Remarks: Calculation

Methacrylic acid, monoester with propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: 0.97

1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1,130 - 1,200
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.91
Remarks: Calculation

Reaction mass of 2-[[2-(2-hydroxyethoxy)ethyl](4-methylphenyl)amino]ethanol and 2,2'-[[4-methylphenyl]imino]diethanol:

Partition coefficient: n-octanol/water : log Pow: 2.17
Method: OECD Test Guideline 117

1,1'-(p-tolylimino)dipropan-2-ol:

Partition coefficient: n-octanol/water : log Pow: 2.1

1,4-Naphthoquinone:

Partition coefficient: n-octanol/water : log Pow: 1.77
Method: OECD Test Guideline 107

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- | | | |
|------------------------|---|--|
| Product | : | Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Do not dispose of waste into sewer. |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product. |
| Waste Code | : | The following Waste Codes are only suggestions:

used product
08 04 09*, waste adhesives and sealants containing organic solvents or other hazardous substances

unused product
08 04 09*, waste adhesives and sealants containing organic solvents or other hazardous substances

uncleaned packagings
15 01 10*, packaging containing residues of or contaminated by hazardous substances |

SECTION 14: Transport information

14.1 UN number or ID number

- | | | |
|------|---|-----------------------------------|
| ADN | : | Not regulated as a dangerous good |
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| IATA | : | Not regulated as a dangerous good |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version 12.0	Revision Date: 07.01.2025	SDS Number: 10680005-00016	Date of last issue: 27.06.2024 Date of first issue: 29.07.2014
-----------------	------------------------------	-------------------------------	---

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) :

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version 12.0	Revision Date: 07.01.2025	SDS Number: 10680005-00016	Date of last issue: 27.06.2024 Date of first issue: 29.07.2014
-----------------	------------------------------	-------------------------------	---

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

Conditions of restriction for the following entries should be considered: Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 2.8 %

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

Full text of H-Statements

H226	: Flammable liquid and vapour.
H300	: Fatal if swallowed.
H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H330	: Fatal if inhaled.
H335	: May cause respiratory irritation.
H361d	: Suspected of damaging the unborn child.
H372	: Causes damage to organs through prolonged or repeated exposure if inhaled.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Repr.	: Reproductive toxicity
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
2004/37/EC	: Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
IE OEL	: Ireland. List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2
2004/37/EC / TWA	: Long term exposure limit
IE OEL / OELV - 8 hrs (TWA)	: Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min (STEL)	: Occupational exposure limit value (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp

A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014

of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Skin Sens. 1	H317
Aquatic Chronic 3	H412

Classification procedure:

Calculation method
Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



ANC-MORT-(WIT-PM200)-CART-300ML Comp A

Version	Revision Date:	SDS Number:	Date of last issue: 27.06.2024
12.0	07.01.2025	10680005-00016	Date of first issue: 29.07.2014
