

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version	Revision Date:	SDS Number:	Date of last issue: 26.03.2024
10.1	21.11.2024	10666952-00016	Date of first issue: 11.06.2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : R1 GENERAL PURPOSE CLEANER - 60 L

Product code : 0893125060

Unique Formula Identifier (UFI) : NTRC-ROHU-M00S-G0FD

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Cleaning agent, Detergent
Professional use product

Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : Adolf Wuerth GmbH & Co. KG
Reinhold-Würth-Str. 12-17
74653 Künzelsau

Telephone : +49 794015 0

Telefax : +49 794015 10 00

E-mail address of person responsible for the SDS : isi@wuerth.com

1.4 Emergency telephone number

+49 (0)6132 – 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)
Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)


SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version 10.1 Revision Date: 21.11.2024 SDS Number: 10666952-00016 Date of last issue: 26.03.2024
Date of first issue: 11.06.2010

Hazard pictograms : 

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear eye protection/ face protection.
Response:
P337 + P313 If eye irritation persists: Get medical advice/ attention.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
sodium p-cumenesulphonate	15763-76-5 239-854-6 01-2119489411-37	Eye Irrit. 2; H319	>= 1 - < 10
Isotridecanol, ethoxylated	9043-30-5	Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 1 - < 2,5
Alpha-Isotridecyl omega-hydroxy polyethylene glycol	9043-30-5	Acute Tox. 4; H302 Eye Dam. 1; H318 Acute toxicity estimate	>= 1 - < 3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version 10.1 Revision Date: 21.11.2024 SDS Number: 10666952-00016 Date of last issue: 26.03.2024
Date of first issue: 11.06.2010

Pyridine-2-thiol 1-oxide, sodium salt	3811-73-2 223-296-5 613-344-00-7 01-2119493385-28	Acute oral toxicity: 500 mg/kg Acute Tox. 4; H302 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT RE 1; H372 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 2; H411 EUH070 <hr/> M-Factor (Acute aquatic toxicity): 100 <hr/> Acute toxicity estimate <hr/> Acute oral toxicity: 500 mg/kg Acute inhalation toxicity (dust/mist): 0,5 mg/l Acute dermal toxicity: 790 mg/kg	$\geq 0,0025 - < 0,025$
---------------------------------------	--	---	-------------------------

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if symptoms occur.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version	Revision Date:	SDS Number:	Date of last issue: 26.03.2024
10.1	21.11.2024	10666952-00016	Date of first issue: 11.06.2010

for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Not applicable
Will not burn

Unsuitable extinguishing media : Not applicable
Will not burn

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Metal oxides
Sulphur oxides
Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version 10.1	Revision Date: 21.11.2024	SDS Number: 10666952-00016	Date of last issue: 26.03.2024 Date of first issue: 11.06.2010
-----------------	------------------------------	-------------------------------	---

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Avoid inhalation of vapour or mist.
Do not swallow.
Do not get in eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version 10.1 Revision Date: 21.11.2024 SDS Number: 10666952-00016 Date of last issue: 26.03.2024
Date of first issue: 11.06.2010

place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.
- Advice on common storage : No special restrictions on storage with other products.
- Storage class (TRGS 510) : 12
- Storage period : 24 Months
- Recommended storage temperature : > 5 °C

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2,2',2''-Nitrilotriethanol	102-71-6	AGW (Inhalable fraction)	1 mg/m ³	DE TRGS 900
		Peak-limit: excursion factor (category): 1;(I)		
		Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child		
		MAK (inhalable fraction)	1 mg/m ³	DE DFG MAK
		Peak-limit: excursion factor (category): 1; I		
		Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed		
Pyridine-2-thiol 1-oxide, sodium salt	3811-73-2	AGW (Inhalable fraction)	0,2 mg/m ³	DE TRGS 900
		Peak-limit: excursion factor (category): 2;(II)		
		Further information: Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child		
		MAK (inhalable fraction)	0,2 mg/m ³	DE DFG MAK
		Peak-limit: excursion factor (category): 2; II		
		Further information: Danger of absorption through the skin, Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed		

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version 10.1 Revision Date: 21.11.2024 SDS Number: 10666952-00016 Date of last issue: 26.03.2024
Date of first issue: 11.06.2010

Substance name	End Use	Exposure routes	Potential health effects	Value	
sodium p-cumenesulphonate	Workers	Inhalation	Long-term systemic effects	26,9 mg/m ³	
	Workers	Skin contact	Long-term systemic effects	136,25 mg/kg bw/day	
	Workers	Skin contact	Long-term local effects	0,096 mg/kg bw/day	
	Consumers	Inhalation	Long-term systemic effects	6,6 mg/m ³	
	Consumers	Skin contact	Long-term systemic effects	68,1 mg/kg bw/day	
	Consumers	Skin contact	Long-term local effects	0,048 mg/kg bw/day	
	Consumers	Ingestion	Long-term systemic effects	3,8 mg/kg bw/day	
	2,2',2''-Nitrilotriethanol	Workers	Skin contact	Long-term systemic effects	6,3 mg/kg bw/day
		Workers	Inhalation	Long-term local effects	5 mg/m ³
Workers		Inhalation	Long-term systemic effects	5 mg/m ³	
	Consumers	Ingestion	Long-term systemic effects	13 mg/kg bw/day	
	Consumers	Skin contact	Long-term systemic effects	3,1 mg/m ³	
	Consumers	Inhalation	Long-term local effects	1,25 mg/m ³	
	Consumers	Inhalation	Long-term systemic effects	1,25 mg/m ³	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
sodium p-cumenesulphonate	Fresh water	0,23 mg/l
	Marine water	0,023 mg/l
	Intermittent use/release	2,3 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	0,862 mg/kg
	Marine sediment	0,0862 mg/kg
2,2',2''-Nitrilotriethanol	Soil	0,037 mg/kg
	Fresh water	0,32 mg/l
	Marine water	0,032 mg/l
	Intermittent use/release	5,12 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	1,7 mg/kg dry weight (d.w.)
Marine sediment	0,17 mg/kg dry weight (d.w.)	
	Soil	0,151 mg/kg dry weight (d.w.)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version	Revision Date:	SDS Number:	Date of last issue: 26.03.2024
10.1	21.11.2024	10666952-00016	Date of first issue: 11.06.2010

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:
Safety goggles
Equipment should conform to DIN EN 166

Hand protection

Material : butyl-rubber
Break through time : > 480 min
Glove thickness : $\geq 0,4$ mm
Directive : Equipment should conform to DIN EN 374

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : $\geq 0,4$ mm
Directive : Equipment should conform to DIN EN 374

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Equipment should conform to DIN EN 14387

Filter type : Organic vapour type (A)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : orange

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version	Revision Date:	SDS Number:	Date of last issue: 26.03.2024
10.1	21.11.2024	10666952-00016	Date of first issue: 11.06.2010

Odour	:	fruity
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	100 °C
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Will not burn
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	boils before flash
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	9,4 (20 °C) Concentration: 100 %
Viscosity Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	completely miscible
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	23 hPa (20 °C)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version	Revision Date:	SDS Number:	Date of last issue: 26.03.2024
10.1	21.11.2024	10666952-00016	Date of first issue: 11.06.2010

Relative density : No data available

Density : 1,04 g/cm³ (20 °C)

Relative vapour density : No data available

Particle characteristics
Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Acids

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation
Skin contact

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version	Revision Date:	SDS Number:	Date of last issue: 26.03.2024
10.1	21.11.2024	10666952-00016	Date of first issue: 11.06.2010

Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Components:

sodium p-cumenesulphonate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 6,41 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Isotridecanol, ethoxylated:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Acute oral toxicity : LD50 (Rat): 500 - 2.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402

Pyridine-2-thiol 1-oxide, sodium salt:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg
Method: Expert judgement

Acute inhalation toxicity : LC50 (Rat, female): > 0,5 - 1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute toxicity estimate: 0,5 mg/l
Test atmosphere: dust/mist
Method: Expert judgement
Remarks: Based on national or regional regulation.

Acute dermal toxicity : LD50 (Rabbit): 790 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version 10.1 Revision Date: 21.11.2024 SDS Number: 10666952-00016 Date of last issue: 26.03.2024
Date of first issue: 11.06.2010

Skin corrosion/irritation

Not classified based on available information.

Components:

sodium p-cumenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Species : Rabbit
Result : No skin irritation

Pyridine-2-thiol 1-oxide, sodium salt:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

sodium p-cumenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days

Isotridecanol, ethoxylated:

Result : Irritation to eyes, reversing within 7 days

Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Species : Rabbit
Result : Irreversible effects on the eye

Pyridine-2-thiol 1-oxide, sodium salt:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days

Result : Toxic by eye contact.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version	Revision Date:	SDS Number:	Date of last issue: 26.03.2024
10.1	21.11.2024	10666952-00016	Date of first issue: 11.06.2010

Respiratory sensitisation

Not classified based on available information.

Components:

sodium p-cumenesulphonate:

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative
Remarks	: Based on data from similar materials

Pyridine-2-thiol 1-oxide, sodium salt:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 406
Result	: positive

Assessment	: Probability or evidence of skin sensitisation in humans
------------	---

Germ cell mutagenicity

Not classified based on available information.

Components:

sodium p-cumenesulphonate:

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials
-----------------------	---

Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials
----------------------	--

Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version	Revision Date:	SDS Number:	Date of last issue: 26.03.2024
10.1	21.11.2024	10666952-00016	Date of first issue: 11.06.2010

Pyridine-2-thiol 1-oxide, sodium salt:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

sodium p-cumenesulphonate:

Species : Mouse
Application Route : Skin contact
Exposure time : 2 Years
Result : negative
Remarks : Based on data from similar materials

Pyridine-2-thiol 1-oxide, sodium salt:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

Species : Mouse
Application Route : Skin contact
Exposure time : 80 weeks
Result : negative

Reproductive toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version 10.1 Revision Date: 21.11.2024 SDS Number: 10666952-00016 Date of last issue: 26.03.2024
Date of first issue: 11.06.2010

Components:

sodium p-cumenesulphonate:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Skin contact
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

Pyridine-2-thiol 1-oxide, sodium salt:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Skin contact
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Pyridine-2-thiol 1-oxide, sodium salt:

Exposure routes : Ingestion
Target Organs : Nervous system

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version 10.1 Revision Date: 21.11.2024 SDS Number: 10666952-00016 Date of last issue: 26.03.2024
Date of first issue: 11.06.2010

Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Exposure routes : Skin contact
Target Organs : Nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of 20 mg/kg bw or less.

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.

Repeated dose toxicity

Components:

sodium p-cumenesulphonate:

Species : Rat
NOAEL : > 763 - < 3.534 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Species : Rat
NOAEL : > 500 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Pyridine-2-thiol 1-oxide, sodium salt:

Species : Rat
NOAEL : 0,5 mg/kg
LOAEL : 2 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Species : Rat
NOAEL : 0,0011 mg/l
LOAEL : 0,0081 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 90 Days

Species : Rat
NOAEL : 5 mg/kg
LOAEL : 15 mg/kg
Application Route : Skin contact
Exposure time : 13 Weeks

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version	Revision Date:	SDS Number:	Date of last issue: 26.03.2024
10.1	21.11.2024	10666952-00016	Date of first issue: 11.06.2010

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

sodium p-cumenesulphonate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): >= 230 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 31 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 : >= 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Isotridecanol, ethoxylated:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version 10.1 Revision Date: 21.11.2024 SDS Number: 10666952-00016 Date of last issue: 26.03.2024
Date of first issue: 11.06.2010

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 1 - 10 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): > 1 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: Based on data from similar materials

Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 1 - 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7,07 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 10 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1.000 mg/l
Exposure time: 17 h
Method: DIN 38 412 Part 8

Pyridine-2-thiol 1-oxide, sodium salt:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7,67 µg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,15 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 0,22 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 0,033 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

Toxicity to microorganisms : EC50 (activated sludge): 1,81 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version	Revision Date:	SDS Number:	Date of last issue: 26.03.2024
10.1	21.11.2024	10666952-00016	Date of first issue: 11.06.2010

Exposure time: 3 h
Method: OECD Test Guideline 209

12.2 Persistence and degradability

Components:

sodium p-cumenesulphonate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 99,8 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
Remarks: Based on data from similar materials

Isotridecanol, ethoxylated:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 60 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Alpha-Isotridecyl omega-hydroxy polyethylene glycol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 75 - 82 %
Exposure time: 28 d
Remarks: Based on data from similar materials

Pyridine-2-thiol 1-oxide, sodium salt:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 79 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

sodium p-cumenesulphonate:

Partition coefficient: n- : log Pow: -1,1
octanol/water

Pyridine-2-thiol 1-oxide, sodium salt:

Partition coefficient: n- : log Pow: -2,38
octanol/water Method: OECD Test Guideline 107

12.4 Mobility in soil

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version	Revision Date:	SDS Number:	Date of last issue: 26.03.2024
10.1	21.11.2024	10666952-00016	Date of first issue: 11.06.2010

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Waste Code : The following Waste Codes are only suggestions:

used product
20 01 29*, detergents containing hazardous substances

unused product
20 01 29*, detergents containing hazardous substances

uncleaned packagings
15 01 10*, packaging containing residues of or contaminated by hazardous substances

Acc. Packaging Act properly emptied packaging:
Properly emptied, non-contaminated packaging of non-hazardous products can be supplied to a system for the collection of sales packaging.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version 10.1 Revision Date: 21.11.2024 SDS Number: 10666952-00016 Date of last issue: 26.03.2024
Date of first issue: 11.06.2010

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version	Revision Date:	SDS Number:	Date of last issue: 26.03.2024
10.1	21.11.2024	10666952-00016	Date of first issue: 11.06.2010

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

Conditions of restriction for the following entries should be considered:
Number on list 3

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

Water hazard class (Germany) : WGK 1 slightly hazardous to water
Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1: Total dust:
Not applicable
5.2.2: Inorganic substances in powdered form:
Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version	Revision Date:	SDS Number:	Date of last issue: 26.03.2024
10.1	21.11.2024	10666952-00016	Date of first issue: 11.06.2010

5.2.4: Inorganic substances in gaseous form:
Not applicable
5.2.5: Organic Substances:
Not applicable
5.2.7.1.1: Carcinogenic substance:
Not applicable
5.2.7.1.1: Quartz fine dust PM4:
Not applicable
5.2.7.1.1: Formaldehyde:
Not applicable
5.2.7.1.1: fibres:
Not applicable
5.2.7.1.2: Germ cell mutagens:
Not applicable
5.2.7.1.3: Substances toxic to reproduction:
Not applicable
5.2.7.2: Poorly degradable, easily enrichable and highly toxic
organic substances:
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial
emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 0,03 %, 0,4 g/l

Regulation (EC) No. 648/2004, as amended : less than 5 %: Anionic surfactants, Non-ionic surfactants
Other constituents: Perfumes
Preservation agents:
SODIUM PYRITHIONE
PHENOXYETHANOL

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version
are highlighted in the body of this document by two vertical
lines.

Full text of H-Statements

H302 : Harmful if swallowed.
H311 : Toxic in contact with skin.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H330 : Fatal if inhaled.
H372 : Causes damage to organs through prolonged or repeated
exposure.
H400 : Very toxic to aquatic life.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version	Revision Date:	SDS Number:	Date of last issue: 26.03.2024
10.1	21.11.2024	10666952-00016	Date of first issue: 11.06.2010

H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.
EUH070 : Toxic by eye contact.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation
STOT RE : Specific target organ toxicity - repeated exposure
DE DFG MAK : Germany. MAK BAT Annex IIa
DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.
DE DFG MAK / MAK : MAK value
DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



R1 GENERAL PURPOSE CLEANER - 60 L

Version 10.1	Revision Date: 21.11.2024	SDS Number: 10666952-00016	Date of last issue: 26.03.2024 Date of first issue: 11.06.2010
-----------------	------------------------------	-------------------------------	---

compile the Safety Data
Sheet

eChem Portal search results and European Chemicals Agen-
cy, <http://echa.europa.eu/>

Classification of the mixture:

Eye Irrit. 2

H319

Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN