

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Replast® ME 90 sec, 50ml (B)

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.7	13.11.2024	10627800-00010	Date of first issue: 04.03.2022

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Replast® ME 90 sec, 50ml (B)  
Product code : 0893500051 (B)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Adhesives  
Professional use product  
Recommended restrictions : Not applicable  
on use

#### 1.3 Details of the supplier of the safety data sheet

Company : Würth UK Ltd  
1 Centurion Way  
Erith, Kent  
Telephone : +44 (0)3300 555 444  
Telefax : +44 (0)3300 555 666  
E-mail address of person : prodsafe@wuerth.com  
responsible for the SDS

#### 1.4 Emergency telephone number

+44 (0)870 190 6777

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Eye irritation, Category 2 H319: Causes serious eye irritation.

#### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**


# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Replast® ME 90 sec, 50ml (B)

Version 2.7      Revision Date: 13.11.2024      SDS Number: 10627800-00010      Date of last issue: 18.06.2024  
Date of first issue: 04.03.2022

Hazard pictograms : 

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P280 Wear eye protection/ face protection.

**Response:**  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.  
Vapours may form explosive mixture with air.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol	102-60-3 203-041-4 01-2119552434-41	Eye Irrit. 2; H319	>= 10 - < 20
Substances with a workplace exposure limit :			
Talc	14807-96-6 238-877-9		>= 20 - < 30

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Replast® ME 90 sec, 50ml (B)

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.7	13.11.2024	10627800-00010	Date of first issue: 04.03.2022

---

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

- |                         |   |  |
|-------------------------|---|--|
| If inhaled              | : | If inhaled, remove to fresh air.<br>Get medical attention if symptoms occur.   |
| In case of skin contact | : | Wash with water and soap as a precaution.<br>Get medical attention if symptoms occur.  |
| In case of eye contact  | : | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.<br>If easy to do, remove contact lens, if worn.<br>Get medical attention. |
| If swallowed            | : | If swallowed, DO NOT induce vomiting.<br>Get medical attention if symptoms occur.<br>Rinse mouth thoroughly with water.  |

### 4.2 Most important symptoms and effects, both acute and delayed

- |       |   |                                |
|-------|---|--------------------------------|
| Risks | : | Causes serious eye irritation. |
|-------|---|--------------------------------|

### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |   |
|-----------|---|---|
| Treatment | : | Treat symptomatically and supportively. |
|-----------|---|---|
- 

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- |                              |   |  |
|------------------------------|---|--|
| Suitable extinguishing media | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical |
|------------------------------|---|--|

- |                                |   |                       |
|--------------------------------|---|-----------------------|
| Unsuitable extinguishing media | : | High volume water jet |
|--------------------------------|---|-----------------------|

### 5.2 Special hazards arising from the substance or mixture

- |                                       |   |  |
|---------------------------------------|---|--|
| Specific hazards during fire-fighting | : | Do not use a solid water stream as it may scatter and spread fire.<br>Flash back possible over considerable distance.<br>Vapours may form explosive mixtures with air.<br>Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products         | : | Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )<br>Metal oxides<br>Silicon oxides  |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Replast® ME 90 sec, 50ml (B)

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.7	13.11.2024	10627800-00010	Date of first issue: 04.03.2022

---

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- 

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Replast® ME 90 sec, 50ml (B)

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.7	13.11.2024	10627800-00010	Date of first issue: 04.03.2022

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Avoid breathing vapours.  
Do not swallow.  
Do not get in eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in properly labelled containers. Keep tightly closed.  
Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.
- Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Explosives  
Gases
- Storage period : 24 Months
- Recommended storage temperature : 15 - 32 °C
- Further information on storage stability : Keep in a dry place.

#### 7.3 Specific end use(s)

- Specific use(s) : No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Replast® ME 90 sec, 50ml (B)

Version 2.7      Revision Date: 13.11.2024      SDS Number: 10627800-00010      Date of last issue: 18.06.2024  
Date of first issue: 04.03.2022

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Talc	14807-96-6	TWA (Respirable dust)	1 mg/m <sup>3</sup>	GB EH40

##### Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value	
2-Oxepanone, polymer with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol	Workers	Inhalation	Long-term systemic effects	3.5 mg/m <sup>3</sup>	
	Workers	Skin contact	Long-term systemic effects	1 mg/kg bw/day	
	Consumers	Inhalation	Long-term systemic effects	0.9 mg/m <sup>3</sup>	
	Consumers	Inhalation	Acute systemic effects	1.75 mg/m <sup>3</sup>	
	Consumers	Skin contact	Long-term systemic effects	0.5 mg/kg bw/day	
	Consumers	Skin contact	Acute systemic effects	1 mg/kg bw/day	
	Consumers	Ingestion	Long-term systemic effects	0.5 mg/kg bw/day	
	Consumers	Ingestion	Acute systemic effects	1 mg/kg bw/day	
	1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol	Workers	Inhalation	Long-term systemic effects	29.4 mg/m <sup>3</sup>
		Workers	Skin contact	Long-term systemic effects	4.2 mg/kg bw/day
Consumers		Inhalation	Long-term systemic effects	8.7 mg/m <sup>3</sup>	
Consumers		Skin contact	Long-term systemic effects	2.5 mg/kg bw/day	
Consumers		Ingestion	Long-term systemic effects	2.5 mg/kg bw/day	

##### Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
2-Oxepanone, polymer with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol	Fresh water	0.102 mg/l
	Marine water	0.0102 mg/l
	Intermittent use/release	1.02 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Replast® ME 90 sec, 50ml (B)

Version 2.7      Revision Date: 13.11.2024      SDS Number: 10627800-00010      Date of last issue: 18.06.2024  
Date of first issue: 04.03.2022

	Sewage treatment plant	670 mg/l
1,1',1'',1'''- ethylenedinitrilotetrapropan-2-ol	Fresh water	0.085 mg/l
	Marine water	0.0085 mg/l
	Intermittent use/release	1.51 mg/l
	Sewage treatment plant	70 mg/l
	Fresh water sediment	0.193 mg/kg
	Marine sediment	0.0193 mg/kg
	Soil	0.0183 mg/kg

### 8.2 Exposure controls

#### Engineering measures

Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:  
Safety goggles  
Equipment should conform to BS EN 166

#### Hand protection

Material : Neoprene  
Break through time :  $\geq 480$  min  
Glove thickness : 0.5 mm  
Directive : Equipment should conform to BS EN 374

Material : butyl-rubber  
Break through time :  $\geq 480$  min  
Glove thickness : 0.5 mm  
Directive : Equipment should conform to BS EN 374

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Wear the following personal protective equipment:  
If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Equipment should conform to BS EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Replast® ME 90 sec, 50ml (B)

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.7	13.11.2024	10627800-00010	Date of first issue: 04.03.2022

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	:	paste
Colour	:	black
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	substance/mixture is non-soluble (in water)
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	83.8 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	1.29
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	60 mPa.s
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

#### 9.2 Other information

Flammability (liquids)	:	Ignitable (see flash point)
------------------------	---	-----------------------------



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Replast® ME 90 sec, 50ml (B)

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.7	13.11.2024	10627800-00010	Date of first issue: 04.03.2022

---

Molecular weight	:	Not applicable
Metal corrosion rate	:	Not corrosive to metals
Particle size	:	Not applicable

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Combustible liquid. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
---------------------	---	--

#### 10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks.
---------------------	---	--------------------------

#### 10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents
--------------------	---	------------------

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

#### Acute toxicity

Not classified based on available information.

#### Components:

##### 1,1',1",1'''-ethylenedinitrilotetrapropan-2-ol:

Acute oral toxicity	:	LD50 (Rat): 2,890 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Replast® ME 90 sec, 50ml (B)

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.7	13.11.2024	10627800-00010	Date of first issue: 04.03.2022

---

toxicity

### Talc:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Based on data from similar materials

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### 1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Talc:

Species : Rabbit  
Result : No skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Components:

#### 1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

### Talc:

Species : Rabbit  
Result : No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Components:

#### 1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Replast® ME 90 sec, 50ml (B)

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.7	13.11.2024	10627800-00010	Date of first issue: 04.03.2022

---

### Talc:

Exposure routes	:	Skin contact
Species	:	Humans
Result	:	negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### 1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

### Talc:

Genotoxicity in vitro	:	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative
-----------------------	---	---

Genotoxicity in vivo	:	Test Type: Chromosome aberration test in vitro Species: Rat Application Route: Ingestion Result: negative
----------------------	---	--

### Carcinogenicity

Not classified based on available information.

### Components:

### Talc:

Species	:	Mouse
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	2 Years
Result	:	negative

### Reproductive toxicity

Not classified based on available information.

### Components:

#### 1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol:

Effects on fertility	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative
----------------------	---	---

Effects on foetal development	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
-------------------------------	---	--

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Replast® ME 90 sec, 50ml (B)

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.7	13.11.2024	10627800-00010	Date of first issue: 04.03.2022

---

Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

### Talc:

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Components:

#### **1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol:**

Species : Rat  
NOAEL : 300 mg/kg  
Application Route : Ingestion  
Exposure time : 30 - 49 Days  
Method : OECD Test Guideline 422

### Aspiration toxicity

Not classified based on available information.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### **1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 4,600 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 150.67 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Replast® ME 90 sec, 50ml (B)

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.7	13.11.2024	10627800-00010	Date of first issue: 04.03.2022

NOEC (Desmodesmus subspicatus (green algae)): 4.25 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

Toxicity to microorganisms : NOEC : 700 mg/l  
Exposure time: 3 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

### Talc:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100,000 mg/l  
Exposure time: 24 h

## 12.2 Persistence and degradability

### Components:

#### 1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 36 %  
Exposure time: 28 d  
Method: OECD Test Guideline 302B  
Remarks: Based on data from similar materials

## 12.3 Bioaccumulative potential

### Components:

#### 1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol:

Partition coefficient: n-octanol/water : log Pow: 0.0

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

### Product:

Endocrine disrupting poten- : This substance/mixture does not contain components consid-



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Replast® ME 90 sec, 50ml (B)

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.7	13.11.2024	10627800-00010	Date of first issue: 04.03.2022

---

**IMDG** : Not regulated as a dangerous good

**IATA** : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

**ADN** : Not regulated as a dangerous good

**ADR** : Not regulated as a dangerous good

**RID** : Not regulated as a dangerous good

**IMDG** : Not regulated as a dangerous good

**IATA** : Not regulated as a dangerous good

### 14.4 Packing group

**ADN** : Not regulated as a dangerous good

**ADR** : Not regulated as a dangerous good

**RID** : Not regulated as a dangerous good

**IMDG** : Not regulated as a dangerous good

**IATA (Cargo)** : Not regulated as a dangerous good

**IATA (Passenger)** : Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not. Conditions of restriction for the following entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high	:	Not applicable

---

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Replast® ME 90 sec, 50ml (B)

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.7	13.11.2024	10627800-00010	Date of first issue: 04.03.2022

---

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EC) on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH) : Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 0.3 %, 0 g/l

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

---

### SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

#### Full text of H-Statements

H319 : Causes serious eye irritation.

#### Full text of other abbreviations

Eye Irrit. : Eye irritation

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - Interna-



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Replast® ME 90 sec, 50ml (B)

Version	Revision Date:	SDS Number:	Date of last issue: 18.06.2024
2.7	13.11.2024	10627800-00010	Date of first issue: 04.03.2022

---

tional Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Eye Irrit. 2

H319

### Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN